

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）：

部位別、性別

富山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	412.5	0.0	0.0	0.0	0.0	0.0	8.7	19.2	6.5	25.0	64.1	65.6	177.4	312.1	618.2	882.9	1,181.5	2,170.0	3,094.1	・
	口腔・咽頭	C00-C14	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	3.2	3.0	15.9	11.4	25.9	55.0	29.4	・
	食道	C15	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.6	3.1	3.2	12.1	40.9	40.0	37.0	80.0	76.5	・
	胃	C16	65.7	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	7.5	12.8	6.3	32.3	57.6	100.0	151.4	181.5	390.0	400.0	・
	大腸（結腸・直腸）	C18-C20	45.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.2	2.5	5.1	15.6	19.4	30.3	75.0	97.1	122.2	240.0	311.8	・
	結腸	C18	30.5	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.5	5.1	6.3	9.7	18.2	43.2	65.7	81.5	180.0	229.4	・
	直腸	C19-C20	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	9.4	9.7	12.1	31.8	31.4	40.7	60.0	82.4	・
	肝および肝内胆管	C22	28.1	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	2.6	12.5	6.5	24.2	27.3	74.3	92.6	155.0	188.2	・
	胆のう・胆管	C23-C24	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	12.1	20.5	34.3	48.1	110.0	205.9	・
	膵臓	C25	37.6	0.0	0.0	0.0	0.0	0.0	4.3	0.0	3.2	0.0	7.7	6.3	35.5	39.4	54.5	85.7	122.2	175.0	217.6	・
	喉頭	C32	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	3.0	2.3	2.9	7.4	15.0	0.0	・
	肺	C33-C34	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	7.7	12.5	41.9	81.8	134.1	245.7	277.8	505.0	788.2	・
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	17.6	・
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	前立腺	C61	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	25.0	11.4	66.7	125.0	264.7	・
	膀胱	C67	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.0	6.8	20.0	37.0	60.0	182.4	・
	腎・尿路（膀胱除く）	C64-C66 C68	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	12.9	6.1	34.1	22.9	37.0	85.0	88.2	・
	脳・中枢神経系	C70-C72	3.0	0.0	0.0	0.0	0.0	0.0	4.3	3.8	0.0	2.5	5.1	3.1	0.0	6.1	6.8	5.7	0.0	5.0	5.9	・
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	7.4	0.0	0.0	・
	悪性リンパ腫	C81-C85 C96	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.2	12.1	25.0	20.0	25.9	40.0	117.6	・
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.2	3.0	6.8	8.6	14.8	15.0	52.9	・
	白血病	C91-C95	8.9	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	2.6	3.1	0.0	9.1	11.4	28.6	37.0	45.0	29.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

富山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	276.2	5.6	0.0	4.5	0.0	5.6	5.0	4.2	14.3	21.6	43.2	51.6	122.6	191.2	272.3	405.1	526.5	858.1	1,463.4	・
	口腔・咽頭	C00-C14	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	2.1	2.6	5.9	6.5	29.3	・
	食道	C15	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	8.8	6.5	26.8	・
	胃	C16	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	5.4	2.7	0.0	9.7	17.6	38.3	33.3	79.4	96.8	222.0	・
	大腸（結腸・直腸）	C18-C20	44.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.7	9.7	12.9	26.5	29.8	66.7	82.4	154.8	256.1	・
	結腸	C18	35.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	9.7	9.7	14.7	21.3	43.6	67.6	122.6	226.8	・
	直腸	C19-C20	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	3.2	11.8	8.5	23.1	14.7	32.3	29.3	・
	肝および肝内胆管	C22	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	2.9	4.3	12.8	29.4	64.5	90.2	・
	胆のう・胆管	C23-C24	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.7	3.2	0.0	5.9	10.6	28.2	35.3	38.7	117.1	・
	膵臓	C25	32.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.4	3.2	9.7	26.5	44.7	69.2	82.4	87.1	134.1	・
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	2.7	0.0	6.5	17.6	38.3	46.2	47.1	100.0	175.6	・
	皮膚	C43-C44	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	7.3	・
	乳房	C50	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.7	10.8	12.9	16.1	35.3	40.4	53.8	50.0	48.4	75.6	・
	子宮	C53-C55	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	6.5	22.6	14.7	14.9	23.1	2.9	32.3	24.4	・
	子宮頸部	C53	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.2	6.5	2.9	6.4	10.3	0.0	3.2	12.2	・
	子宮体部	C54	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.2	9.7	5.9	6.4	10.3	2.9	19.4	7.3	・
	卵巣	C56	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.7	2.7	6.5	9.7	14.7	14.9	7.7	11.8	12.9	19.5	・
	膀胱	C67	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.4	2.6	11.8	19.4	29.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	5.1	11.8	22.6	34.1	・
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	0.0	0.0	5.0	4.2	0.0	2.7	0.0	0.0	3.2	0.0	0.0	5.1	2.9	6.5	7.3	・
	甲状腺	C73	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.9	0.0	2.6	2.9	3.2	17.1	・
	悪性リンパ腫	C81-C85 C96	12.3	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	8.8	4.3	17.9	17.6	58.1	68.3	・
	多発性骨髄腫	C88-C90	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	4.3	2.6	5.9	25.8	19.5	・
	白血病	C91-C95	7.6	5.6	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	2.7	0.0	6.5	2.9	8.5	7.7	17.6	35.5	26.8	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

富山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	342.2	2.7	0.0	2.2	0.0	2.6	7.0	12.0	10.2	23.4	53.9	58.7	150.0	250.7	439.6	631.1	816.4	1,372.5	1,941.4	・
	口腔・咽頭	C00-C14	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	1.6	1.6	1.5	8.8	6.8	14.8	25.5	29.3	・
	食道	C15	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.6	1.6	7.5	19.8	18.9	21.3	35.3	41.4	・
	胃	C16	50.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.7	6.5	7.9	3.2	21.0	37.3	68.1	89.2	124.6	211.8	274.1	・
	大腸（結腸・直腸）	C18-C20	44.7	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.7	2.6	3.9	12.7	16.1	28.4	51.6	81.1	100.0	188.2	272.4	・
	結腸	C18	33.3	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	2.6	2.6	7.9	9.7	16.4	31.9	54.1	73.8	145.1	227.6	・
	直腸	C19-C20	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	4.8	6.5	11.9	19.8	27.0	26.2	43.1	44.8	・
	肝および肝内胆管	C22	21.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.3	6.3	6.5	13.4	15.4	41.9	57.4	100.0	119.0	・
	胆のう・胆管	C23-C24	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.6	1.6	9.0	15.4	31.1	41.0	66.7	143.1	・
	膵臓	C25	34.9	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.7	1.3	6.6	4.8	22.6	32.8	49.5	77.0	100.0	121.6	158.6	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	1.5	1.1	1.4	3.3	5.9	0.0	・
	肺	C33-C34	64.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.9	5.3	6.3	24.2	49.3	84.6	140.5	149.2	258.8	355.2	・
	皮膚	C43-C44	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	3.9	10.3	・
	乳房	C50	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.3	5.3	6.3	8.1	17.9	20.9	28.4	27.9	29.4	53.4	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.5	6.6	10.8	23.0	35.3	74.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	6.5	6.0	16.5	13.5	23.0	47.1	50.0	・
	脳・中枢神経系	C70-C72	2.6	0.0	0.0	0.0	0.0	0.0	4.7	4.0	0.0	2.6	2.6	1.6	1.6	3.0	3.3	5.4	1.6	5.9	6.9	・
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	2.2	1.4	4.9	2.0	12.1	・
	悪性リンパ腫	C81-C85 C96	12.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.6	1.6	10.4	14.3	18.9	21.3	51.0	82.8	・
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.2	1.5	5.5	5.4	9.8	21.6	29.3	・
	白血病	C91-C95	8.3	2.7	0.0	0.0	0.0	2.6	0.0	2.0	0.0	0.0	2.6	1.6	3.2	6.0	9.9	17.6	26.2	39.2	27.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計