

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,062.2	5.3	4.8	21.7	19.2	9.1	33.3	44.4	64.5	147.5	230.8	421.9	674.2	1,287.9	2,047.7	2,771.4	3,407.4	4,255.0	4,788.2	.
	口腔・咽頭	C00-C14	20.2	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	5.0	7.7	6.3	35.5	27.3	50.0	54.3	55.6	35.0	70.6	.
	食道	C15	32.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	15.6	22.6	48.5	75.0	91.4	96.3	155.0	88.2	.
	胃	C16	210.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	25.0	20.5	53.1	103.2	233.3	406.8	574.3	766.7	910.0	929.4	.
	大腸（結腸・直腸）	C18-C20	160.1	0.0	0.0	0.0	0.0	0.0	0.0	7.4	6.5	25.0	48.7	121.9	154.8	218.2	318.2	391.4	477.8	545.0	652.9	.
	結腸	C18	101.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	15.0	28.2	68.8	90.3	133.3	195.5	248.6	292.6	410.0	405.9	.
	直腸	C19-C20	59.1	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	10.0	20.5	53.1	64.5	84.8	122.7	142.9	185.2	135.0	247.1	.
	肝および肝内胆管	C22	42.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.0	5.1	18.8	19.4	42.4	86.4	125.7	140.7	210.0	152.9	.
	胆のう・胆管	C23-C24	26.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	9.7	15.2	31.8	45.7	92.6	155.0	223.5	.
	膵臓	C25	46.2	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.2	2.5	12.8	15.6	35.5	87.9	72.7	120.0	155.6	155.0	211.8	.
	喉頭	C32	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	9.7	15.2	22.7	34.3	44.4	25.0	41.2	.
	肺	C33-C34	159.5	0.0	0.0	0.0	0.0	0.0	4.2	0.0	6.5	7.5	20.5	46.9	93.5	178.8	261.4	440.0	522.2	715.0	852.9	.
	皮膚	C43-C44	23.7	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	10.0	7.7	9.4	12.9	15.2	50.0	54.3	59.3	115.0	123.5	.
	乳房	C50	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.3	2.9	11.1	0.0	5.9	.
	前立腺	C61	143.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.8	41.9	163.6	295.5	434.3	533.3	605.0	676.5	.
	膀胱	C67	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	6.3	12.9	36.4	70.5	82.9	88.9	155.0	252.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	41.1	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	10.0	23.1	12.5	38.7	66.7	97.7	74.3	125.9	150.0	147.1	.
	脳・中枢神経系	C70-C72	5.1	5.3	0.0	0.0	0.0	0.0	0.0	3.7	3.2	5.0	0.0	6.3	0.0	9.1	9.1	20.0	3.7	15.0	5.9	.
	甲状腺	C73	12.3	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.7	12.5	28.2	21.9	12.9	6.1	20.5	34.3	18.5	10.0	11.8	.
	悪性リンパ腫	C81-C85 C96	39.9	0.0	0.0	0.0	0.0	9.1	8.3	7.4	6.5	5.0	20.5	25.0	41.9	69.7	95.5	88.6	85.2	130.0	117.6	.
	多発性骨髄腫	C88-C90	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	3.1	0.0	18.2	6.8	14.3	29.6	20.0	52.9	.
	白血病	C91-C95	13.5	0.0	4.8	17.4	0.0	0.0	0.0	0.0	6.5	10.0	5.1	3.1	6.5	18.2	18.2	28.6	40.7	65.0	29.4	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	739.5	11.1	20.0	4.5	28.0	57.9	81.0	96.0	217.2	300.0	502.6	584.4	683.9	788.2	1,100.0	1,356.4	1,402.9	1,767.7	2,075.6	・
	口腔・咽頭	C00-C14	8.3	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.4	0.0	5.3	9.4	9.7	11.8	8.5	7.7	23.5	12.9	29.3	・
	食道	C15	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	5.3	6.3	0.0	2.9	17.0	20.5	14.7	12.9	26.8	・
	胃	C16	87.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	18.4	13.2	28.1	38.7	73.5	146.8	187.2	202.9	254.8	312.2	・
	大腸（結腸・直腸）	C18-C20	127.9	0.0	0.0	0.0	0.0	0.0	0.0	4.0	13.8	18.4	23.7	65.6	109.7	155.9	166.0	189.7	288.2	429.0	448.8	・
	結腸	C18	98.5	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.9	2.6	13.2	43.8	77.4	102.9	117.0	151.3	226.5	348.4	378.0	・
	直腸	C19-C20	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	15.8	10.5	21.9	32.3	52.9	48.9	38.5	61.8	80.6	70.7	・
	肝および肝内胆管	C22	19.5	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	3.1	12.9	14.7	27.7	28.2	52.9	45.2	90.2	・
	胆のう・胆管	C23-C24	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	6.3	3.2	17.6	27.7	33.3	50.0	67.7	122.0	・
	膵臓	C25	40.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	12.5	12.9	32.4	57.4	74.4	102.9	122.6	161.0	・
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	・
	肺	C33-C34	71.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	5.3	21.9	51.6	64.7	114.9	182.1	179.4	209.7	217.1	・
	皮膚	C43-C44	17.1	0.0	0.0	0.0	0.0	0.0	0.0	8.0	3.4	2.6	10.5	15.6	0.0	14.7	19.1	41.0	20.6	58.1	61.0	・
	乳房	C50	146.9	0.0	0.0	0.0	0.0	0.0	0.0	24.0	82.8	142.1	234.2	200.0	254.8	211.8	251.1	215.4	217.6	203.2	175.6	・
	子宮	C53-C55	41.7	0.0	0.0	0.0	0.0	10.5	14.3	28.0	48.3	31.6	78.9	106.3	58.1	52.9	53.2	66.7	29.4	25.8	48.8	・
	子宮頸部	C53	12.1	0.0	0.0	0.0	0.0	5.3	14.3	20.0	34.5	15.8	23.7	25.0	6.5	2.9	8.5	15.4	2.9	3.2	22.0	・
	子宮体部	C54	28.7	0.0	0.0	0.0	0.0	5.3	0.0	8.0	10.3	15.8	55.3	81.3	51.6	47.1	44.7	51.3	26.5	19.4	22.0	・
	卵巣	C56	16.9	0.0	0.0	0.0	12.0	10.5	4.8	4.0	13.8	21.1	28.9	6.3	38.7	11.8	25.5	38.5	11.8	9.7	24.4	・
	膀胱	C67	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	5.9	10.6	23.1	11.8	51.6	56.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	7.9	3.1	12.9	23.5	21.3	41.0	32.4	77.4	48.8	・
	脳・中枢神経系	C70-C72	3.9	0.0	5.0	0.0	4.0	5.3	0.0	4.0	3.4	7.9	0.0	3.1	3.2	0.0	6.4	2.6	0.0	3.2	14.6	・
	甲状腺	C73	27.9	0.0	0.0	0.0	8.0	26.3	42.9	4.0	37.9	31.6	44.7	40.6	38.7	32.4	44.7	46.2	14.7	19.4	22.0	・
	悪性リンパ腫	C81-C85 C96	30.0	0.0	0.0	0.0	0.0	5.3	4.8	8.0	0.0	5.3	10.5	28.1	19.4	17.6	46.8	82.1	64.7	71.0	82.9	・
	多発性骨髄腫	C88-C90	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	6.3	3.2	0.0	14.9	15.4	8.8	35.5	9.8	・
	白血病	C91-C95	9.2	11.1	10.0	4.5	4.0	0.0	9.5	4.0	0.0	0.0	2.6	0.0	6.5	14.7	4.3	20.5	20.6	22.6	22.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	895.8	8.1	12.2	13.3	23.5	31.7	55.6	69.2	138.3	221.8	364.9	503.1	679.0	1,034.3	1,558.2	2,025.7	2,290.2	2,743.1	2,870.7	・
	口腔・咽頭	C00-C14	14.0	0.0	0.0	0.0	0.0	0.0	2.2	1.9	1.7	2.6	6.5	7.8	22.6	19.4	28.6	29.7	37.7	21.6	41.4	・
	食道	C15	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.3	2.6	10.9	11.3	25.4	45.1	54.1	50.8	68.6	44.8	・
	胃	C16	147.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	21.8	16.9	40.6	71.0	152.2	272.5	370.3	452.5	511.8	493.1	・
	大腸（結腸・直腸）	C18-C20	143.5	0.0	0.0	0.0	0.0	0.0	0.0	5.8	10.0	21.8	36.4	93.8	132.3	186.6	239.6	285.1	372.1	474.5	508.6	・
	結腸	C18	99.7	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.7	9.0	20.8	56.3	83.9	117.9	154.9	197.3	255.7	372.5	386.2	・
	直腸	C19-C20	43.8	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.3	12.8	15.6	37.5	48.4	68.7	84.6	87.8	116.4	102.0	122.4	・
	肝および肝内胆管	C22	30.8	0.0	2.4	0.0	0.0	0.0	0.0	0.0	1.7	2.6	5.2	10.9	16.1	28.4	56.0	74.3	91.8	109.8	108.6	・
	胆のう・胆管	C23-C24	24.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.1	6.5	16.4	29.7	39.2	68.9	102.0	151.7	・
	脾臓	C25	43.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.7	1.3	11.7	14.1	24.2	59.7	64.8	95.9	126.2	135.3	175.9	・
	喉頭	C32	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	4.7	4.8	7.5	11.0	18.9	19.7	9.8	12.1	・
	肺	C33-C34	114.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.3	5.1	13.0	34.4	72.6	120.9	185.7	304.1	331.1	407.8	403.4	・
	皮膚	C43-C44	20.3	0.0	0.0	2.2	0.0	0.0	0.0	3.8	1.7	6.4	9.1	12.5	6.5	14.9	34.1	47.3	37.7	80.4	79.3	・
	乳房	C50	76.4	0.0	0.0	0.0	0.0	0.0	0.0	11.5	40.0	69.2	115.6	100.0	129.0	107.5	130.8	114.9	126.2	123.5	125.9	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	4.7	6.5	20.9	39.6	51.4	45.9	92.2	113.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	29.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	7.7	15.6	7.8	25.8	44.8	58.2	56.8	73.8	105.9	77.6	・
	脳・中枢神経系	C70-C72	4.5	2.7	2.4	0.0	2.0	2.4	0.0	3.8	3.3	6.4	0.0	4.7	1.6	4.5	7.7	10.8	1.6	7.8	12.1	・
	甲状腺	C73	20.4	0.0	0.0	0.0	3.9	12.2	20.0	3.8	23.3	21.8	36.4	31.3	25.8	19.4	33.0	40.5	16.4	15.7	19.0	・
	悪性リンパ腫	C81-C85 C96	34.8	0.0	0.0	0.0	0.0	7.3	6.7	7.7	3.3	5.1	15.6	26.6	30.6	43.3	70.3	85.1	73.8	94.1	93.1	・
	多発性骨髄腫	C88-C90	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	4.7	1.6	9.0	11.0	14.9	18.0	29.4	22.4	・
	白血病	C91-C95	11.3	5.4	7.3	11.1	2.0	0.0	4.4	1.9	3.3	5.1	3.9	1.6	6.5	16.4	11.0	24.3	29.5	39.2	24.1	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計