

V. 平成 26 年 集計表一覧

- 表 1 - A 罹患数、部位割合 (%)、粗罹患率 (人口 10 万対)、年齢調整罹患率 (人口 10 万対)、累積罹患率 (%) : 部位別、性別
- 表 1 - B 罹患数、部位割合 (%)、粗罹患率 (人口 10 万対)、年齢調整罹患率 (人口 10 万対)、累積罹患率 (%) : 部位別、性別 (上皮内がんを含む)
- 表 2 - A 年齢階級別罹患数 : 部位別、性別
- 表 2 - B 年齢階級別罹患数 : 部位別、性別 (上皮内がんを含む)
- 表 3 - 1 - A 年齢階級別罹患率 (人口 10 万対, 100 歳以上まるめ) : 部位別、性別
- 表 3 - 1 - B 年齢階級別罹患率 (人口 10 万対, 100 歳以上まるめ) : 部位別、性別 (上皮内がんを含む)
- 表 3 - 2 - A 年齢階級別罹患率 (人口 10 万対, 85 歳以上まるめ) : 部位別、性別
- 表 3 - 2 - B 年齢階級別罹患率 (人口 10 万対, 85 歳以上まるめ) : 部位別、性別 (上皮内がんを含む)
- 表 4 - A 発見経緯 (%) : 部位別
- 表 4 - B 発見経緯 (%) : 部位別 (上皮内がんを含む)
- 表 5 - 1 - A 進展度・総合 (%) : 部位別
- 表 5 - 1 - B 進展度・総合 (%) : 部位別 (上皮内がんを含む)
- 表 5 - 2 - A 進展度・術前 (%) : 部位別
- 表 5 - 2 - B 進展度・術前 (%) : 部位別 (上皮内がんを含む)
- 表 5 - 3 - A 進展度・術後 (%) : 部位別
- 表 5 - 3 - B 進展度・術後 (%) : 部位別 (上皮内がんを含む)
- 表 6 - A 初回治療内容割合 (%) : 部位別
- 表 6 - B 初回治療内容割合 (%) : 部位別 (上皮内がんを含む)
- 付表 1 罹患数、部位割合 (%)、粗罹患率 (人口 10 万対)、年齢調整罹患率 (人口 10 万対)、累積罹患率 (%) : 詳細部位別、性別
- 付表 2 - A 医療圏別、保健所別罹患数 : 部位別、性別
- 付表 2 - B 医療圏別、保健所別罹患数 : 部位別、性別 (上皮内がんを含む)
- 付表 3 - A 市町村別罹患数 : 部位別、性別
- 付表 3 - B 市町村別罹患数 : 部位別、性別 (上皮内がんを含む)

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

富山県

2014年

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
ICD-10	6,223	4,426	10,649	100.0	100.0	100.0	1,209.4	798.6	996.3	577.2	376.5	460.7	405.4	281.0	333.6	47.5	30.8	38.6
C00-C06	145	64	209	2.3	1.4	2.0	28.2	11.5	19.6	15.5	5.0	10.0	11.4	3.7	7.3	1.4	0.4	0.9
口腔・咽頭																		
C15	257	38	295	4.1	0.9	2.8	49.9	6.9	27.6	24.6	3.0	12.9	17.7	2.2	9.4	2.4	0.2	1.3
食道																		
C16	1,244	598	1,842	20.0	13.5	17.3	241.8	107.9	172.3	110.8	39.9	71.5	76.0	28.2	49.8	9.3	3.3	6.2
胃																		
C18-C20	939	721	1,660	15.1	16.3	15.6	182.5	130.1	155.3	89.2	48.4	67.1	62.2	34.3	47.3	7.5	4.0	5.7
大腸(結腸・直腸)																		
C18	596	514	1,110	9.6	11.6	10.4	115.8	92.7	103.9	54.9	32.6	42.8	37.9	22.9	29.9	4.5	2.6	3.5
結腸																		
C19-C20	343	207	550	5.5	4.7	5.2	66.7	37.3	51.5	34.3	15.8	24.3	24.3	11.4	17.4	3.0	1.4	2.2
直腸																		
C22	328	153	481	5.3	3.5	4.5	63.7	27.6	45.0	29.1	8.7	17.9	19.6	5.8	12.1	2.2	0.5	1.3
肝および肝内胆管																		
C23-C24	134	148	282	2.2	3.3	2.6	26.0	26.7	26.4	11.1	7.8	9.3	7.5	5.3	6.3	0.7	0.5	0.6
胆のう・胆管																		
C25	272	229	501	4.4	5.2	4.7	52.9	41.3	46.9	25.0	14.0	19.0	17.4	9.8	13.4	2.1	1.2	1.6
膵臓																		
C32	62	5	67	1.0	0.1	0.6	12.0	0.9	6.3	5.5	0.4	2.7	4.3	0.3	2.1	0.5	0.0	0.3
喉頭																		
C33-C34	980	416	1,396	15.7	9.4	13.1	190.5	75.1	130.6	85.4	27.3	52.9	58.3	19.1	36.7	6.7	2.4	4.4
肺																		
C43-C44	88	97	185	1.4	2.2	1.7	17.1	17.5	17.3	7.6	6.2	6.7	5.4	4.3	4.7	0.4	0.4	0.4
皮膚																		
C50	4	800	804	0.1	18.1	7.6	0.8	144.3	75.2	0.3	98.5	50.5	0.2	75.9	38.7	0.0	8.5	4.3
乳房																		
C53-C55	-	206	206	-	4.7	1.9	-	37.2	-	-	26.2	-	-	20.6	-	-	2.1	-
子宮																		
C53	-	85	85	-	1.9	0.8	-	15.3	-	-	11.6	-	-	9.3	-	-	0.9	-
子宮頸部																		
C54	-	117	117	-	2.6	1.1	-	21.1	-	-	14.3	-	-	11.0	-	-	1.2	-
子宮体部																		
C56	-	117	117	-	2.6	1.1	-	21.1	-	-	14.8	-	-	11.7	-	-	1.2	-
卵巣																		
C61	688	-	688	11.1	-	6.5	133.7	-	-	58.5	-	-	40.2	-	-	5.2	-	-
前立腺																		
C67	190	63	253	3.1	1.4	2.4	36.9	11.4	23.7	15.6	3.1	8.5	10.6	2.0	5.8	1.1	0.2	0.6
膀胱																		
C64-C66 C68	226	97	323	3.6	2.2	3.0	43.9	17.5	30.2	22.8	6.6	14.1	16.1	4.6	10.0	1.8	0.5	1.1
腎・尿路(膀胱除く)																		
C70-C72	78	91	169	1.3	2.1	1.6	15.2	16.4	15.8	10.5	10.1	10.3	9.4	9.0	9.2	0.9	0.8	0.8
脳・中枢神経系																		
C73	57	159	216	0.9	3.6	2.0	11.1	28.7	20.2	8.5	20.0	14.4	6.7	15.8	11.4	0.6	1.6	1.1
甲状腺																		
C81-C85 C96	174	147	321	2.8	3.3	3.0	33.8	26.5	30.0	15.8	12.5	13.7	11.1	9.6	10.1	1.2	1.1	1.1
悪性リンパ腫																		
C88-C90	43	42	85	0.7	0.9	0.8	8.4	7.6	8.0	4.3	3.0	3.6	3.1	2.1	2.5	0.4	0.3	0.3
多発性骨髄腫																		
C91-C95	80	52	132	1.3	1.2	1.2	15.5	9.4	12.4	10.0	5.0	7.4	7.8	4.3	6.0	0.7	0.4	0.6
白血病																		

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%): 部位別、性別

B. 上皮内がんを含む

富山県

2014年

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	I CD-10		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
	男	女	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1	総数*1
全部位	6,637	4,887	11,524	100.0	100.0	100.0	1,289.8	881.7	1,078.2	620.5	445.4	515.5	436.7	336.2	375.8	51.3	35.9	43.0
食道	261	39	300	3.9	0.8	2.6	50.7	7.0	28.1	24.9	3.1	13.1	17.9	2.2	9.5	2.5	0.2	1.3
大腸(結腸・直腸)*2	1,050	796	1,846	15.8	16.3	16.0	204.1	143.6	172.7	101.5	54.8	76.3	71.1	38.9	53.9	8.6	4.5	6.5
結腸*2	670	565	1,235	10.1	11.6	10.7	130.2	101.9	115.5	62.7	36.5	48.5	43.5	25.6	34.0	5.2	2.9	4.0
直腸*2	380	231	611	5.7	4.7	5.3	73.8	41.7	57.2	38.9	18.3	27.8	27.6	13.3	20.0	3.4	1.6	2.5
肺	985	419	1,404	14.8	8.6	12.2	191.4	75.6	131.4	86.1	27.6	53.5	58.8	19.5	37.1	6.8	2.4	4.5
皮膚	111	123	234	1.7	2.5	2.0	21.6	22.2	21.9	9.7	7.9	8.6	7.0	5.5	6.1	0.6	0.5	0.6
乳房	5	885	890	0.1	18.1	7.7	1.0	159.7	83.3	0.4	111.0	56.9	0.2	85.7	43.7	0.0	9.5	4.8
子宮	-	364	364	-	7.4	3.2	-	65.7	-	-	63.4	-	-	52.1	-	-	4.6	-
子宮頸部	-	243	243	-	5.0	2.1	-	43.8	-	-	48.8	-	-	40.9	-	-	3.4	-
膀胱	251	76	327	3.8	1.6	2.8	48.8	13.7	30.6	21.2	4.2	11.6	14.6	2.8	8.1	1.6	0.3	0.9

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男		6,223	1	7	5	2	5	14	19	40	50	79	159	293	605	1,008	1,156	1,068	935	553	187	34	3	0
	C00-C96																							
	C00-C14	145	0	0	0	0	1	0	1	5	0	2	8	7	25	24	27	20	18	5	2	0	0	0
	C15	257	0	0	0	0	0	0	0	0	1	4	11	12	32	48	69	30	25	18	6	1	0	0
	C16	1,244	0	0	0	0	1	0	1	6	9	10	17	65	112	212	247	201	213	107	37	6	0	0
	C18-C20	939	0	0	0	0	0	1	2	2	8	10	39	46	109	143	186	171	137	62	20	3	0	0
	C18	596	0	0	0	0	0	0	2	2	6	7	19	22	66	91	113	106	102	46	12	2	0	0
	C19-C20	343	0	0	0	0	0	1	0	0	2	3	20	24	43	52	73	65	35	16	8	1	0	0
	C22	328	0	0	0	0	0	0	0	1	0	5	7	13	24	53	59	75	51	26	12	1	0	0
	C23-C24	134	0	0	0	0	0	0	0	0	1	2	3	3	13	19	14	21	31	18	6	3	0	0
	C25	272	0	0	0	0	0	0	1	0	2	4	5	14	32	44	51	52	35	23	8	1	0	0
	C32	62	1	0	0	0	0	0	0	0	0	0	1	3	6	10	17	7	4	7	5	1	0	0
	C33-C34	980	0	0	0	0	0	1	0	0	6	7	19	42	90	166	163	184	164	101	29	6	2	0
	C43-C44	88	0	0	0	0	1	1	0	0	1	1	2	5	5	9	6	13	17	17	8	2	0	0
	C50	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	0	0	0	0	0
	C61	688	0	0	0	0	0	0	0	0	0	2	6	20	70	130	159	120	93	69	15	4	0	0
	C67	190	0	0	0	0	0	0	0	1	0	1	4	9	15	21	27	35	28	33	13	2	1	0
	C64-C66 C68	226	0	0	0	0	0	1	1	2	7	6	8	15	23	27	41	35	39	12	8	1	0	0
	C70-C72	78	0	4	4	1	0	0	1	0	3	4	6	6	4	15	9	8	8	5	0	0	0	0
	C73	57	0	0	0	0	1	2	3	6	0	4	6	2	10	8	2	8	4	1	0	0	0	0
	C81-C85 C86	174	0	0	1	0	0	2	1	2	2	2	2	6	10	31	28	30	29	19	8	1	0	0
	C88-C90	43	0	0	0	0	0	0	0	0	0	3	3	2	1	6	11	8	3	6	0	0	0	0
	C91-C95	80	0	2	0	0	0	2	2	1	3	5	2	10	5	10	9	15	6	6	2	0	0	0

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	4,426	4	2	4	1	4	18	33	61	114	156	207	227	395	534	568	593	603	534	268	84	15	0
	000-C14	64	0	0	0	0	0	1	1	0	2	1	1	3	6	6	10	8	13	5	4	1	2	0
	C15	38	0	0	0	0	0	0	0	1	0	1	1	1	8	2	3	8	9	3	1	0	0	0
	C16	598	0	0	1	0	0	1	3	3	3	4	12	24	45	69	94	93	95	95	45	10	1	0
	C18-C20	721	0	0	0	0	0	1	1	5	5	11	14	30	59	83	102	108	114	110	57	17	4	0
	C18	514	0	0	0	0	0	1	0	3	3	8	10	14	40	51	72	83	81	86	42	16	4	0
	C19-C20	207	0	0	0	0	0	0	1	2	2	3	4	16	19	32	30	25	33	24	15	1	0	0
	C22	153	0	0	0	0	0	1	0	1	1	1	1	4	6	11	14	36	30	29	11	4	3	0
	C23-C24	148	0	0	0	0	0	0	0	1	0	2	4	2	6	8	15	22	32	35	16	5	0	0
	C25	229	0	0	0	0	0	0	0	0	0	1	8	4	16	33	35	27	40	41	18	6	0	0
	C32	5	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	3	0	0	0	0	0
	C33-C34	416	0	0	0	0	0	0	0	3	0	4	8	12	30	70	63	65	66	52	30	10	3	0
	C43-C44	97	0	0	0	0	0	1	2	0	2	3	1	1	2	7	10	17	17	17	9	7	1	0
	C50	800	0	0	0	0	0	1	10	18	56	73	89	67	104	114	96	71	50	32	14	5	0	0
	C53-C55	208	0	0	0	0	1	3	4	9	11	21	19	17	27	25	15	19	18	11	5	1	0	0
	C53	85	0	0	0	0	1	3	4	8	6	9	5	3	4	12	6	6	6	8	3	1	0	0
	C54	117	0	0	0	0	0	0	0	1	5	12	14	14	21	13	9	13	11	2	2	0	0	0
	C56	117	0	0	0	1	0	2	1	4	8	12	9	11	15	14	12	10	9	6	2	1	0	0
	C67	63	0	0	0	0	0	0	0	1	0	0	0	1	4	2	7	10	11	20	6	1	0	0
	C64-C66 C68	97	0	0	0	0	1	0	0	1	1	0	1	3	8	13	12	18	19	13	4	3	0	0
	C70-C72	91	3	1	1	0	0	0	2	2	5	2	7	5	10	5	12	11	9	7	6	3	0	0
	C73	159	0	0	0	0	2	4	4	9	11	10	10	16	12	19	17	15	11	11	5	3	0	0
	C81-C85 C86	147	0	0	1	0	0	2	1	0	0	2	8	11	17	23	18	17	18	18	10	1	0	0
	C88-C90	42	0	0	0	0	0	0	1	0	0	0	1	1	3	6	10	6	7	2	4	1	0	0
	C91-C95	52	1	0	1	0	0	0	0	0	1	2	2	5	8	4	7	7	5	5	3	1	0	0

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	100-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳					
		総数 *2	全部位	000-C06	000-C14	C15	C16	C18-C20	C18	C19-C20	C22	C23-C24	C25	C32	C33-C34	C43-C44	C50	C53-C55	C53	C54	C56	C61	C67	C64-C66 C68	C70-C72	C73	C81-C85 C96	C88-C90	C91-C95	
	口腔・咽頭	10,549	209	0	0	0	0	0	1	2	5	2	3	9	10	31	30	37	28	31	10	6	1	1	2	0	0	0	0	
	食道	295	0	0	0	0	0	0	0	0	1	1	5	12	13	40	50	72	38	34	21	7	1	1	0	0	0	0	0	
	胃	1,842	0	0	1	0	0	1	4	9	12	14	29	89	157	281	341	294	294	308	202	82	16	1	0	0	0	0	0	
	大腸(結腸・直腸)	1,660	0	0	0	0	0	2	3	7	13	21	53	76	168	226	288	279	251	172	77	20	4	0	0	0	0	0	0	
	結腸	1,110	0	0	0	0	0	0	1	2	5	9	15	29	36	106	142	185	189	183	132	54	18	4	0	0	0	0	0	
	直腸	550	0	0	0	0	0	0	1	1	2	4	6	24	40	62	84	103	90	68	40	23	2	0	0	0	0	0	0	
	肝および肝内胆管	481	0	0	0	0	0	0	0	0	2	1	7	8	17	30	64	73	111	81	55	23	5	3	0	0	0	0	0	
	胆のう・胆管	282	0	0	0	0	0	0	0	0	1	1	4	7	5	19	27	29	43	63	53	22	8	0	0	0	0	0	0	
	膵臓	501	0	0	0	0	0	0	0	1	0	2	5	13	18	48	77	86	79	75	64	26	7	0	0	0	0	0	0	
	喉頭	67	1	0	0	0	0	0	0	0	1	0	0	0	3	6	10	18	7	7	7	5	1	0	0	0	0	0	0	
	肺	1,396	0	0	0	0	0	0	0	0	3	6	11	27	54	120	236	226	249	230	153	59	16	5	0	0	0	0	0	
	皮膚	185	0	0	0	0	0	0	1	2	2	3	4	3	6	7	16	16	30	34	34	17	9	1	0	0	0	0	0	
	乳房	804	0	0	0	0	0	0	1	10	18	56	73	89	67	104	115	96	71	53	32	14	5	0	0	0	0	0	0	0
	子宮	206	0	0	0	0	0	0	1	3	4	9	11	21	19	27	25	15	19	18	11	5	1	0	0	0	0	0	0	0
	子宮頸部	85	0	0	0	0	0	0	1	3	4	8	6	9	5	4	12	6	6	6	8	3	1	0	0	0	0	0	0	0
	子宮体部	117	0	0	0	0	0	0	0	0	1	5	12	14	14	21	13	9	13	11	2	2	0	0	0	0	0	0	0	0
	卵巣	117	0	0	0	0	1	0	2	1	4	8	12	9	11	15	14	12	10	9	6	2	1	0	0	0	0	0	0	0
	前立腺	688	0	0	0	0	0	0	0	0	0	0	2	6	20	70	130	159	120	93	69	15	4	0	0	0	0	0	0	0
	膀胱	253	0	0	0	0	0	0	0	0	2	0	1	4	10	19	23	34	45	39	53	19	3	1	0	0	0	0	0	0
	腎・尿路(膀胱除く)	323	0	0	0	0	0	0	1	1	3	8	6	9	18	31	40	53	53	58	25	12	4	0	0	0	0	0	0	0
	脳・中枢神経系	169	3	5	5	1	0	0	0	3	2	8	6	13	11	14	20	21	19	17	12	6	3	0	0	0	0	0	0	0
	甲状腺	216	0	0	0	0	0	3	6	7	15	11	14	16	18	22	27	19	23	15	12	5	3	0	0	0	0	0	0	0
	悪性リンパ腫	321	0	0	0	2	0	0	4	2	2	2	4	10	17	27	54	46	47	47	37	18	2	0	0	0	0	0	0	0
	多発性骨髄腫	85	0	0	0	0	0	0	0	0	0	0	3	4	3	4	12	21	14	10	8	4	1	0	0	0	0	0	0	0
	白血病	132	1	2	1	0	0	0	2	2	1	4	7	4	15	13	14	16	22	11	11	5	1	0	0	0	0	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

B. 上皮内がんを含む

富山県

2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	6,637	1	7	5	2	5	14	20	41	59	90	176	331	664	1,074	1,234	1,130	981	573	192	35	3	0	
	食道	C15 D001	261	0	0	0	0	0	0	0	0	1	1	4	11	32	50	70	30	25	19	6	1	0	0	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,050	0	0	0	0	0	1	2	3	11	14	44	57	125	166	202	193	146	63	20	3	0	0	
	結腸 *2	C18 D010	670	0	0	0	0	0	0	2	3	7	10	21	26	78	108	125	120	109	47	12	2	0	0	
	直腸 *2	C19-C20 D011-D012	380	0	0	0	0	0	1	0	0	4	4	23	31	47	58	77	73	37	16	8	1	0	0	
	肺	C33-C34 D021-D022	985	0	0	0	0	0	0	1	0	0	6	8	19	43	91	166	164	185	164	101	29	6	2	0
	皮膚	C43-C44 D030-D049	111	0	0	0	0	1	1	1	0	0	2	1	2	5	11	12	11	17	18	19	9	2	0	
	乳房	C50 D05	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	3	0	0	0	0	
	膀胱	C67 D090	251	0	0	0	0	0	0	0	1	1	1	2	5	12	22	29	40	41	36	42	16	2	1	0
	全部位	C00-C96 D00-D09	4,687	5	2	4	1	12	35	68	100	168	190	228	252	427	576	617	644	630	554	274	85	15	0	
	食道	C15 D001	39	0	0	0	0	0	0	0	1	0	1	1	1	8	2	3	9	9	3	1	0	0	0	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	796	0	0	0	0	1	1	1	6	8	11	17	36	63	92	113	125	125	117	59	17	4	0	
	結腸 *2	C18 D010	565	0	0	0	0	0	1	0	3	6	8	11	16	43	60	80	80	94	88	91	44	16	4	
	直腸 *2	C19-C20 D011-D012	231	0	0	0	0	1	0	1	3	2	3	6	20	20	32	33	33	31	37	26	15	1	0	
肺	C33-C34 D021-D022	419	0	0	0	0	0	0	0	3	0	5	8	12	31	70	63	66	66	52	30	10	3	0		
皮膚	C43-C44 D030-D049	123	0	0	0	0	0	1	3	0	3	3	3	1	2	10	15	24	20	21	10	8	1	0		
乳房	C50 D05	885	0	0	0	0	0	1	11	21	72	84	100	71	115	120	109	76	52	34	14	5	0	0		
子宮	C53-C55 D06	364	0	0	0	0	8	20	36	43	42	40	22	21	32	26	17	21	19	11	5	1	0	0		
子宮頸部	C53 D06	243	0	0	0	0	8	20	36	42	37	28	8	7	9	13	8	8	7	8	3	1	0	0		
膀胱	C67 D090	76	0	0	0	0	0	0	0	1	1	1	0	0	3	5	3	10	13	21	7	1	0	0		
総数 *3 全部位	C00-C96 D00-D09	11,524	6	9	9	3	17	49	88	141	227	280	404	583	1,091	1,650	1,851	1,774	1,611	1,127	486	120	18	0		
食道	C15 D001	300	0	0	0	0	0	0	0	1	1	1	5	12	13	40	52	73	39	34	22	7	1	0		
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,846	0	0	0	0	1	2	3	9	19	25	61	93	188	258	315	318	271	180	79	20	4	0		
結腸 *2	C18 D010	1,235	0	0	0	0	0	1	2	6	13	18	32	42	121	168	205	214	197	138	56	18	4	0		
直腸 *2	C19-C20 D011-D012	611	0	0	0	0	1	1	1	3	6	7	29	51	67	90	110	104	74	42	23	2	0			
肺	C33-C34 D021-D022	1,404	0	0	0	0	0	1	1	0	3	6	13	27	55	122	236	227	251	230	153	59	16	5		
皮膚	C43-C44 D030-D049	234	0	0	0	0	1	2	3	0	5	4	3	6	13	22	26	26	41	38	40	19	10	1		
乳房	C50 D05	890	0	0	0	0	0	1	11	21	72	84	100	71	115	122	109	76	55	34	14	5	0	0		
子宮	C53-C55 D06	364	0	0	0	0	8	20	36	43	42	40	22	21	32	26	17	21	19	11	5	1	0	0		
子宮頸部	C53 D06	243	0	0	0	0	8	20	36	42	37	28	8	7	9	13	8	8	7	8	3	1	0	0		
膀胱	C67 D090	327	0	0	0	0	0	0	1	2	2	2	2	5	15	27	32	50	52	49	63	23	3	1		

*1 総数は年齢不詳を含む

*2 粘膜炎を含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位		1,209.4	4.9	31.1	19.7	8.3	23.0	56.9	65.5	110.2	119.7	233.4	507.2	922.1	1,564.8	2,374.9	3,448.8	4,466.0	5,047.5	5,259.7	5,436.0	4,503.3	1,973.7	*
	口腔・咽頭	C00-C14	28.2	0.0	0.0	0.0	0.0	4.6	0.0	3.4	13.8	0.0	5.9	25.5	22.0	64.7	56.5	80.6	83.6	97.2	47.6	58.1	0.0	0.0	*
	食道	C15	49.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.8	35.1	37.8	82.8	113.1	205.9	125.4	135.0	171.2	174.4	132.5	0.0	*
	胃	C16	241.8	0.0	0.0	0.0	0.0	4.6	0.0	3.4	16.5	21.5	29.5	54.2	204.6	289.7	499.5	736.9	840.5	1,149.9	1,017.7	1,075.6	794.7	0.0	*
	大腸（結腸・直腸）	C18-C20	182.5	0.0	0.0	0.0	0.0	0.0	4.1	6.9	5.5	19.2	29.5	124.4	144.8	281.9	336.9	554.9	715.1	739.6	589.7	581.4	397.4	0.0	*
	結腸	C18	115.8	0.0	0.0	0.0	0.0	0.0	0.0	6.9	5.5	14.4	20.7	60.6	69.2	170.7	214.4	337.1	443.3	550.6	437.5	348.8	264.9	0.0	*
	直腸	C19-C20	66.7	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	4.8	8.9	63.8	75.5	111.2	122.5	217.8	271.8	188.9	152.2	232.6	132.5	0.0	*
	肝および胆内胆管	C22	63.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	17.7	22.3	40.9	62.1	124.9	176.0	313.6	275.3	247.3	348.8	132.5	0.0	*
	胆のう・胆管	C23-C24	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.9	9.6	9.4	33.6	44.8	41.8	87.8	167.4	171.2	174.4	397.4	0.0	*
	膵臓	C25	52.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	4.8	11.8	15.9	44.1	82.8	103.7	152.2	217.4	188.9	218.8	232.6	132.5	0.0	*
	喉頭	C32	12.0	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	15.5	23.6	50.7	29.3	21.6	66.6	145.3	132.5	0.0	*
	肺	C33-C34	190.5	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	14.4	20.7	60.6	132.2	232.8	391.1	486.3	769.4	865.3	960.6	843.0	794.7	1,315.8	*
	皮膚	C43-C44	17.1	0.0	0.0	0.0	0.0	4.6	4.1	0.0	0.0	2.4	3.0	6.4	15.7	12.9	21.2	17.9	54.4	91.8	161.7	232.6	264.9	0.0	*
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	16.2	0.0	0.0	0.0	0.0	*
	前立腺	C61	133.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	19.1	62.9	181.1	306.3	474.4	501.8	502.1	656.3	436.0	529.8	0.0	*
	膀胱	C67	36.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	3.0	12.8	28.3	38.8	49.5	80.6	146.4	151.2	313.9	377.9	264.9	657.9	*
	腎・尿路（膀胱除く）	C64-C66 C68	43.9	0.0	0.0	0.0	0.0	0.0	4.1	3.4	5.5	16.8	17.7	25.5	47.2	59.5	63.6	122.3	146.4	210.5	114.1	232.6	132.5	0.0	*
	脳・中枢神経系	C70-C72	15.2	0.0	17.7	15.7	4.2	0.0	0.0	3.4	0.0	7.2	11.8	19.1	18.9	10.3	35.3	26.9	33.5	43.2	47.6	0.0	0.0	0.0	*
	甲状腺	C73	11.1	0.0	0.0	0.0	0.0	4.6	8.1	10.3	16.5	0.0	11.8	19.1	6.3	25.9	18.8	6.0	33.5	21.6	9.5	0.0	0.0	0.0	*
	悪性リンパ腫	C81-C85 C86	33.8	0.0	0.0	3.9	0.0	0.0	8.1	3.4	5.5	4.8	5.9	6.4	18.9	25.9	73.0	83.5	125.4	156.6	180.7	232.6	132.5	0.0	*
	多発性骨髄腫	C88-C90	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	9.6	6.3	2.6	14.1	32.8	33.5	16.2	57.1	0.0	0.0	0.0	*
	白血病	C91-C95	15.5	0.0	8.9	0.0	0.0	0.0	8.1	6.9	2.8	7.2	14.8	6.4	31.5	12.9	23.6	26.9	62.7	32.4	57.1	58.1	0.0	0.0	*

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	ICD-10	総数	*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	798.6		26.1	9.4	16.6	4.4	19.5	77.3	123.6	179.1	287.8	466.9	656.0	685.4	971.3	1,178.2	1,453.9	1,825.6	1,981.0	2,442.4	2,474.6	2,429.1	2,040.8	
	口腔・咽頭	C00-C14	11.5		0.0	0.0	0.0	0.0	4.3	3.7	3.0	0.0	5.0	3.0	3.2	9.1	14.8	13.2	25.6	24.6	42.7	22.9	36.9	28.9	272.1	
	食道	C15	6.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.0	3.2	3.0	19.7	4.4	7.7	24.6	29.6	13.7	9.2	0.0	0.0	
	胃	C16	107.9		0.0	0.0	4.1	0.0	4.3	11.2	8.8	8.8	7.6	12.0	38.0	72.5	110.7	152.2	240.6	286.3	312.1	434.5	415.5	289.2	136.1	
	大腸（結腸・直腸）	C18-C20	130.1		0.0	0.0	0.0	0.0	4.3	3.7	14.7	14.7	12.6	32.9	44.4	90.6	145.1	183.1	261.1	332.5	374.5	503.1	526.3	491.6	544.2	
	結腸	C18	92.7		0.0	0.0	0.0	0.0	4.3	0.0	8.8	8.8	7.6	23.9	31.7	42.3	98.4	112.5	184.3	255.5	266.1	393.3	387.8	462.7	544.2	
	直腸	C19-C20	37.3		0.0	0.0	0.0	0.0	0.0	3.7	5.9	5.9	5.0	9.0	12.7	48.3	46.7	70.6	76.8	77.0	108.4	109.8	138.5	28.9	0.0	
	肝および胆内胆管	C22	27.6		0.0	0.0	0.0	0.0	4.3	0.0	2.9	2.9	2.5	3.0	3.2	12.1	14.8	24.3	35.8	110.8	98.6	132.6	101.6	115.7	408.2	
	胆のう・胆管	C23-C24	26.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.0	12.7	6.0	14.8	17.7	38.4	67.7	105.1	160.1	147.7	144.6	0.0	
	膵臓	C25	41.3		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	25.4	12.1	39.3	72.8	89.6	83.1	131.4	187.5	166.2	173.5	0.0	
	喉頭	C32	0.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	9.9	0.0	0.0	0.0	
	肺	C33-C34	75.1		0.0	0.0	0.0	0.0	0.0	0.0	8.8	8.8	0.0	12.0	25.4	36.2	73.8	154.4	161.3	200.1	216.8	237.8	277.0	289.2	408.2	
	皮膚	C43-C44	17.5		0.0	0.0	0.0	0.0	4.3	7.5	0.0	0.0	5.0	9.0	3.2	3.0	4.9	15.4	25.6	52.3	55.8	77.8	83.1	202.4	136.1	
	乳房	C50	144.3		0.0	0.0	0.0	0.0	4.3	37.4	52.8	52.8	141.4	218.5	282.0	202.3	255.7	251.5	245.7	218.6	164.3	148.4	129.3	144.6	0.0	
	子宮	C53-C55	37.2		0.0	0.0	0.0	0.0	4.9	12.9	15.0	26.4	27.8	62.8	60.2	51.3	66.4	55.2	38.4	58.5	59.1	50.3	46.2	28.9	0.0	
	子宮頸部	C53	15.3		0.0	0.0	0.0	0.0	4.9	12.9	15.0	23.5	15.1	26.9	15.8	9.1	9.8	26.5	15.4	18.5	19.7	38.6	27.7	28.9	0.0	
	子宮体部	C54	21.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	12.6	35.9	44.4	42.3	51.6	28.7	23.0	40.0	36.1	9.1	18.5	0.0	0.0	
	卵巣	C56	21.1		0.0	0.0	0.0	4.4	8.6	3.7	11.7	11.7	20.2	35.9	28.5	33.2	36.9	30.9	30.7	30.8	29.6	27.4	18.5	28.9	0.0	
	膀胱	C67	11.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	3.0	9.8	4.4	17.9	30.8	36.1	91.5	55.4	28.9	0.0	
	腎・尿管（膀胱除く）	C64-C66	17.5		0.0	0.0	0.0	0.0	4.9	0.0	0.0	2.9	2.5	0.0	3.2	9.1	19.7	28.7	30.7	55.4	62.4	59.5	36.9	86.8	0.0	
	脳・中枢神経系	C70-C72	16.4		15.7	4.7	4.1	0.0	0.0	0.0	7.5	5.9	12.6	6.0	22.2	15.1	24.6	11.0	30.7	33.9	29.6	32.0	55.4	86.8	0.0	
	甲状腺	C73	28.7		0.0	0.0	0.0	0.0	9.7	17.2	15.0	26.4	27.8	29.9	31.7	48.3	29.5	41.9	43.5	46.2	36.1	50.3	46.2	86.8	0.0	
	悪性リンパ腫	C81-C85	26.5		0.0	0.0	4.1	0.0	8.6	3.7	0.0	0.0	0.0	6.0	25.4	33.2	41.8	50.7	46.1	52.3	59.1	82.3	92.3	28.9	0.0	
	多発性骨髄腫	C88-C90	7.6		0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.2	3.0	7.4	13.2	25.6	18.5	23.0	9.1	36.9	28.9	0.0	
	白血病	C91-C95	9.4		5.2	0.0	4.1	0.0	0.0	0.0	0.0	0.0	2.5	6.0	6.3	15.1	19.7	8.8	17.9	21.6	16.4	22.9	27.7	28.9	0.0	

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	996.3	15.3	20.6	18.1	6.4	21.3	66.8	93.4	143.5	201.5	349.4	581.8	801.3	1,260.6	1,756.9	2,375.1	2,945.2	3,141.1	3,357.2	3,188.5	2,800.9	2,029.3	*
	口腔・咽頭	C00-C14	19.6	0.0	0.0	0.0	0.0	2.4	2.1	3.6	7.1	2.5	4.5	14.3	15.4	39.1	34.2	51.0	49.6	63.3	30.9	42.0	23.7	225.5	*
	食道	C15	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	7.4	19.1	20.0	50.4	57.0	99.2	67.4	69.4	64.9	49.1	23.7	0.0	*
	胃	C16	172.3	0.0	0.0	2.0	0.0	2.4	2.1	7.2	12.8	14.7	20.8	46.1	137.1	197.9	320.2	489.8	521.3	629.0	623.9	574.6	379.8	112.7	*
	大腸（結腸・直腸）	C18-C20	155.3	0.0	0.0	0.0	0.0	0.0	4.2	5.4	9.9	16.0	31.2	84.3	117.1	211.8	257.5	396.8	494.7	512.6	531.2	539.6	474.7	451.0	*
	結腸	C18	103.9	0.0	0.0	0.0	0.0	0.0	2.1	3.6	7.1	11.1	22.3	46.1	55.5	133.6	161.8	254.9	335.1	373.8	407.7	378.4	427.2	451.0	*
	直腸	C19-C20	51.5	0.0	0.0	0.0	0.0	0.0	2.1	1.8	2.8	4.9	8.9	38.2	61.6	78.2	95.7	141.9	159.6	138.9	123.5	161.2	47.5	0.0	*
	肝および胆内胆管	C22	45.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	2.8	1.2	10.4	12.7	26.2	37.8	72.9	100.6	196.8	165.4	169.9	161.2	118.7	338.2	*
	胆のう・胆管	C23-C24	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	5.9	11.1	7.7	24.0	30.8	40.0	76.2	128.7	163.7	154.2	189.9	0.0	*
	膵臓	C25	46.9	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.5	7.4	20.7	27.7	60.5	87.7	118.5	140.1	153.2	197.7	182.2	166.2	0.0	*
	喉頭	C32	6.3	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.6	4.6	7.6	11.4	24.8	12.4	14.3	21.6	35.0	23.7	0.0	*
	肺	C33-C34	130.6	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	7.4	16.4	42.9	83.2	151.3	268.9	311.4	441.5	469.7	472.5	413.5	379.8	563.7	*
	皮膚	C43-C44	17.3	0.0	0.0	0.0	0.0	2.4	4.2	3.6	0.0	3.7	5.9	4.8	9.2	8.8	18.2	22.0	53.2	68.4	105.0	119.1	213.6	112.7	*
	乳房	C50	75.2	0.0	0.0	0.0	0.0	0.0	2.1	18.0	25.6	68.8	108.5	141.5	103.2	131.1	131.0	132.3	125.9	108.2	98.8	98.1	118.7	0.0	*
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	1.5	6.4	15.4	24.0	26.2	46.8	79.8	79.7	163.7	133.1	71.2	112.7	*
	腎・尿路（膀胱除く）	C64-C66 C68	30.2	0.0	0.0	0.0	0.0	2.4	2.1	1.8	4.3	9.8	8.9	14.3	27.7	39.1	45.6	73.0	94.0	118.5	77.2	84.1	94.9	0.0	*
	脳・中枢神経系	C70-C72	15.8	7.6	11.4	10.1	2.1	0.0	0.0	5.4	2.8	9.8	8.9	20.7	17.0	17.6	22.8	28.9	33.7	34.7	37.1	42.0	71.2	0.0	*
	甲状腺	C73	20.2	0.0	0.0	0.0	0.0	7.1	12.5	12.6	21.3	13.5	20.8	25.4	27.7	27.7	30.8	26.2	40.8	30.6	37.1	35.0	71.2	0.0	*
	悪性リンパ腫	C81-C85 C96	30.0	0.0	0.0	4.0	0.0	0.0	8.4	3.6	2.8	2.5	5.9	15.9	26.2	34.0	61.5	63.4	83.3	96.0	114.3	126.1	47.5	0.0	*
	多発性骨髄腫	C88-C90	8.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	4.5	6.4	4.6	5.0	13.7	28.9	24.8	20.4	24.7	28.0	23.7	0.0	*
	白血病	C91-C95	12.4	2.5	4.6	2.0	0.0	0.0	4.2	3.6	1.4	4.9	10.4	6.4	23.1	16.4	16.0	22.0	39.0	22.5	34.0	35.0	23.7	0.0	*

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

富山県

2014年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-096 D00-D09	1,289.8	4.9	31.1	19.7	8.3	23.0	56.9	69.0	112.9	141.2	265.9	561.4	1,041.7	1,717.4	2,530.4	3,681.5	4,725.3	5,295.8	5,449.9	5,561.4	4,635.8	1,973.7	*	
	食道	C15 D001	50.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.8	35.1	37.8	82.8	117.8	208.8	125.4	135.0	180.7	174.4	132.5	0.0	*	
	大腸 (結腸・直腸)*2	C18-C20 D010-D012	204.1	0.0	0.0	0.0	0.0	0.0	4.1	6.9	8.3	26.3	41.4	140.3	179.4	323.3	391.1	602.6	807.1	788.2	599.2	561.4	397.4	0.0	*	
	結腸*2	C18 D010	130.2	0.0	0.0	0.0	0.0	0.0	0.0	6.9	8.3	16.8	29.5	67.0	81.8	201.7	254.5	372.9	501.8	588.4	447.0	348.8	264.9	0.0	*	
	直腸*2	C19-C20 D011-D012	73.8	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	9.6	11.8	73.4	97.6	121.6	136.7	229.7	305.3	199.7	152.2	232.6	132.5	0.0	*	
	肺	C33-C34 D021-D022	191.4	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	14.4	23.6	60.6	135.3	235.4	391.1	489.3	773.6	885.3	960.6	843.0	794.7	1,315.8	*	
	皮膚	C43-C44 D030-D049	21.6	0.0	0.0	0.0	0.0	4.6	4.1	0.0	0.0	4.8	3.0	6.4	15.7	28.5	28.3	32.8	71.1	97.2	180.7	261.6	264.9	0.0	*	
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2	0.0	0.0	0.0	0.0	*	
	膀胱	C67 D090	48.8	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.8	2.4	5.9	15.9	37.8	56.9	68.3	119.3	171.4	194.3	399.5	465.1	264.9	657.9	*	
	全部位	000-096 D00-D09	881.7	26.1	9.4	16.6	4.4	58.4	150.4	254.6	293.6	424.1	568.6	722.5	1,050.0	1,270.9	1,579.3	1,982.6	2,069.7	2,533.8	2,530.0	2,458.1	2,040.8	*	*	
	食道	C15 D001	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.0	3.2	3.0	19.7	4.4	7.7	27.7	28.6	13.7	9.2	0.0	0.0	*
	大腸 (結腸・直腸)*2	C18-C20 D010-D012	143.6	0.0	0.0	0.0	0.0	4.9	4.3	3.7	17.6	20.2	32.9	53.9	108.7	154.9	203.0	289.2	384.8	410.7	595.1	544.8	491.6	544.2	*	
	結腸*2	C18 D010	101.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	8.8	15.1	23.9	34.9	48.3	105.7	132.4	204.8	289.4	289.1	416.2	406.3	462.7	544.2	*
	直腸*2	C19-C20 D011-D012	41.7	0.0	0.0	0.0	0.0	4.9	0.0	3.7	8.8	5.0	8.0	19.0	60.4	49.2	70.6	84.5	95.4	121.6	118.9	138.5	28.9	0.0	*	
肺	C33-C34 D021-D022	75.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	15.0	25.4	36.2	76.2	154.4	161.3	203.2	216.8	237.8	277.0	289.2	408.2	*	
皮膚	C43-C44 D030-D049	22.2	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.2	0.0	7.6	9.0	3.2	3.0	4.9	22.1	38.4	73.9	65.7	96.0	92.3	231.3	136.1	*	
乳房	C50 D05	159.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	41.2	61.6	181.8	251.4	316.9	214.4	292.8	264.8	279.0	234.0	170.8	155.5	129.3	144.6	0.0	*	
子宮	C53-C55 D06	65.7	0.0	0.0	0.0	0.0	38.9	85.9	134.8	126.2	106.0	119.7	69.7	63.4	78.7	69.4	57.4	43.5	64.7	62.4	50.3	46.2	28.9	0.0	*	
子宮頸部	C53 D06	43.8	0.0	0.0	0.0	0.0	38.9	85.9	134.8	123.3	93.4	83.8	25.4	21.1	22.1	28.7	20.5	24.6	23.0	36.6	27.7	28.9	0.0	*		
膀胱	C67 D090	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.5	0.0	0.0	9.1	12.3	6.6	25.6	33.9	42.7	96.0	64.6	28.9	0.0	*		
全部位	000-096 D00-D09	1,078.2	15.3	20.6	18.1	6.4	40.2	102.4	158.0	200.3	278.9	416.3	642.2	898.4	1,375.3	1,880.0	2,550.1	3,145.6	3,290.2	3,480.8	3,265.6	2,848.3	2,029.3	*		
食道	C15 D001	28.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	7.4	19.1	20.0	50.4	59.2	100.6	69.2	69.4	67.9	49.1	23.7	0.0	*		
大腸 (結腸・直腸)*2	C18-C20 D010-D012	172.7	0.0	0.0	0.0	0.0	2.4	4.2	5.4	12.8	23.3	37.2	97.0	143.3	237.0	294.0	434.0	563.9	553.5	555.9	553.6	474.7	451.0	*		
結腸*2	C18 D010	115.5	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	8.5	16.0	26.8	50.9	64.7	152.5	191.4	282.4	379.5	402.3	426.2	392.4	427.2	451.0	*	
直腸*2	C19-C20 D011-D012	57.2	0.0	0.0	0.0	0.0	2.4	2.1	1.8	4.3	7.4	10.4	46.1	78.6	84.5	102.5	151.5	184.4	151.1	129.7	161.2	47.5	0.0	*		
肺	C33-C34 D021-D022	131.4	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	7.4	19.3	42.9	84.8	153.8	268.9	312.7	445.1	469.7	472.5	413.5	379.8	563.7	*		
皮膚	C43-C44 D030-D049	21.9	0.0	0.0	0.0	0.0	2.4	4.2	5.4	0.0	6.1	5.9	4.8	9.2	16.4	25.1	35.8	72.7	77.6	123.5	133.1	237.4	112.7	*		
乳房	C50 D05	83.3	0.0	0.0	0.0	0.0	0.0	2.1	19.7	29.8	88.5	124.9	159.0	109.4	145.0	139.0	150.2	134.8	112.3	105.0	98.1	118.7	0.0	*		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	30.6	0.0	0.0	0.0	0.0	0.0	1.8	2.8	2.8	2.5	3.0	7.9	23.1	34.0	36.5	68.9	92.2	100.1	194.6	161.2	71.2	112.7	*		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,058.4	4.9	31.1	19.7	8.3	23.0	56.9	65.5	110.2	119.7	233.4	507.2	922.1	1,564.8	2,374.9	3,448.8	4,466.0	5,047.5	5,228.5	*
	口腔・咽頭	C00-C14	26.8	0.0	0.0	0.0	0.0	4.6	0.0	3.4	13.8	0.0	5.9	25.5	22.0	64.7	56.5	80.6	83.6	97.2	47.1	*
	食道	C15	45.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.8	35.1	37.8	82.8	113.1	205.9	125.4	135.0	168.2	*
	胃	C16	212.6	0.0	0.0	0.0	0.0	4.6	0.0	3.4	16.5	21.5	29.5	54.2	204.6	289.7	499.5	736.9	840.5	1,149.9	1,009.4	*
	大腸（結腸・直腸）	C18-C20	166.0	0.0	0.0	0.0	0.0	0.0	4.1	6.9	5.5	19.2	29.5	124.4	144.8	281.9	336.9	554.9	715.1	739.6	572.0	*
	結腸	C18	104.2	0.0	0.0	0.0	0.0	0.0	0.0	6.9	5.5	14.4	20.7	60.6	69.2	170.7	214.4	337.1	443.3	550.6	403.7	*
	直腸	C19-C20	61.8	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	4.8	8.9	63.8	75.5	111.2	122.5	217.8	271.8	188.9	168.2	*
	肝および胆管内胆管	C22	56.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	17.7	22.3	40.9	62.1	124.9	176.0	313.6	275.3	262.4	*
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.9	9.6	9.4	33.6	44.8	41.8	87.8	167.4	181.7	*
	膵臓	C25	46.6	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	4.8	11.8	15.9	44.1	82.8	103.7	152.2	217.4	188.9	215.3	*
	喉頭	C32	9.5	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	15.5	23.6	50.7	29.3	21.6	87.5	*
	肺	C33-C34	163.6	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	14.4	20.7	60.6	132.2	232.8	391.1	486.3	769.4	885.3	928.6	*
	皮膚	C43-C44	11.9	0.0	0.0	0.0	0.0	4.6	4.1	0.0	0.0	2.4	3.0	6.4	15.7	12.9	21.2	17.9	54.4	91.8	181.7	*
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	16.2	0.0	*
	前立腺	C61	116.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	19.1	62.9	181.1	306.3	474.4	501.8	502.1	592.2	*
	膀胱	C67	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	3.0	12.8	28.3	38.8	49.5	80.6	146.4	151.2	329.7	*
	腎・尿路（膀胱除く）	C64-C66 C68	39.8	0.0	0.0	0.0	0.0	0.0	4.1	3.4	5.5	16.8	17.7	25.5	47.2	59.5	63.6	122.3	146.4	210.5	141.3	*
	脳・中枢神経系	C70-C72	14.2	0.0	17.7	15.7	4.2	0.0	0.0	3.4	0.0	7.2	11.8	19.1	18.9	10.3	35.3	26.9	33.5	43.2	33.6	*
	甲状腺	C73	10.9	0.0	0.0	0.0	0.0	4.6	8.1	10.3	16.5	0.0	11.8	19.1	6.3	25.9	18.8	6.0	33.5	21.6	6.7	*
	悪性リンパ腫	C81-C85 C86	28.4	0.0	0.0	3.9	0.0	0.0	8.1	3.4	5.5	4.8	5.9	6.4	18.9	25.9	73.0	83.5	125.4	156.6	188.4	*
	多発性骨髄腫	C88-C90	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	9.6	6.3	2.6	14.1	32.8	33.5	16.2	40.4	*
	白血病	C91-C95	14.0	0.0	8.9	0.0	0.0	0.0	8.1	6.9	2.8	7.2	14.8	6.4	31.5	12.9	23.6	26.9	62.7	32.4	53.8	*

表3-2. 年齢階級別罹患率（人口10万対, 85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県

2014年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	636.0	26.1	9.4	16.6	4.4	19.5	77.3	123.6	179.1	287.8	466.9	656.0	685.4	971.3	1,178.2	1,453.9	1,825.6	1,991.0	2,442.6	*
	口腔・咽頭	C00-C14	9.4	0.0	0.0	0.0	0.0	0.0	4.3	3.7	0.0	5.0	3.0	3.2	9.1	14.8	13.2	25.6	24.6	42.7	32.5	*
	食道	C15	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.0	3.2	3.0	19.7	4.4	7.7	24.6	29.6	10.8	*
	胃	C16	80.6	0.0	0.0	4.1	0.0	0.0	4.3	11.2	8.8	7.6	12.0	38.0	72.5	110.7	152.2	240.6	286.3	312.1	409.4	*
	大腸（結腸・直腸）	C18-C20	96.2	0.0	0.0	0.0	0.0	0.0	4.3	3.7	14.7	12.6	32.9	44.4	90.6	145.1	183.1	261.1	332.5	374.5	509.7	*
	結腸	C18	66.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	8.8	7.6	23.9	31.7	42.3	98.4	112.5	184.3	255.5	266.1	401.2	*
	直腸	C19-C20	30.1	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.9	5.0	9.0	12.7	48.3	46.7	70.6	76.8	77.0	108.4	108.4	*
	肝および肝内胆管	C22	19.1	0.0	0.0	0.0	0.0	0.0	4.3	0.0	2.9	2.5	3.0	3.2	12.1	14.8	24.3	35.8	110.8	98.6	127.4	*
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.0	12.7	6.0	14.8	17.7	38.4	67.7	105.1	151.8	*
	膵臓	C25	29.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	25.4	12.1	39.3	72.8	89.6	83.1	131.4	176.2	*
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	9.9	0.0	*
	肺	C33-C34	57.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	12.0	25.4	36.2	73.8	154.4	161.3	200.1	216.8	257.5	*
	皮膚	C43-C44	11.4	0.0	0.0	0.0	0.0	0.0	4.3	7.5	0.0	5.0	9.0	3.2	3.0	4.9	15.4	25.6	52.3	55.8	92.2	*
	乳房	C50	135.1	0.0	0.0	0.0	0.0	0.0	4.3	37.4	52.8	141.4	218.5	282.0	202.3	255.7	251.5	245.7	218.6	164.3	138.3	*
	子宮	C53-C55	34.1	0.0	0.0	0.0	0.0	4.9	12.9	15.0	26.4	27.8	62.8	60.2	51.3	66.4	55.2	38.4	58.5	59.1	46.1	*
	子宮頸部	C53	13.2	0.0	0.0	0.0	0.0	4.9	12.9	15.0	23.5	15.1	26.9	15.8	9.1	9.8	26.5	15.4	18.5	19.7	32.5	*
	子宮体部	C54	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	12.6	35.9	44.4	42.3	51.6	28.7	23.0	40.0	36.1	10.8	*
	卵巣	C56	19.5	0.0	0.0	0.0	4.4	0.0	8.6	3.7	11.7	20.2	35.9	28.5	33.2	36.9	30.9	30.7	30.8	29.6	24.4	*
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	3.0	9.8	4.4	17.9	30.8	36.1	73.2	*
	腎・尿路（膀胱除く）	C64-C66 C68	13.9	0.0	0.0	0.0	0.0	4.9	0.0	0.0	2.9	2.5	0.0	3.2	9.1	19.7	28.7	30.7	55.4	62.4	54.2	*
	脳・中枢神経系	C70-C72	13.5	15.7	4.7	4.1	0.0	0.0	0.0	7.5	5.9	12.6	6.0	22.2	15.1	24.6	11.0	30.7	33.9	29.6	43.4	*
	甲状腺	C73	25.3	0.0	0.0	0.0	0.0	9.7	17.2	15.0	26.4	27.8	29.9	31.7	48.3	29.5	41.9	43.5	46.2	36.1	51.5	*
	悪性リンパ腫	C81-C85 C86	21.3	0.0	0.0	4.1	0.0	0.0	8.6	3.7	0.0	0.0	6.0	25.4	33.2	41.8	50.7	46.1	52.3	59.1	78.6	*
	多発性骨髄腫	C88-C90	6.3	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.2	3.0	7.4	13.2	25.6	18.5	23.0	19.0	*
	白血病	C91-C95	7.8	5.2	0.0	4.1	0.0	0.0	0.0	0.0	0.0	2.5	6.0	6.3	15.1	19.7	8.8	17.9	21.6	16.4	24.4	*

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

富山県 2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	000-C96	839.3	15.3	20.6	18.1	6.4	21.3	66.8	93.4	143.5	201.5	349.4	581.8	801.3	1,260.6	1,756.9	2,375.1	2,945.2	3,141.1	3,242.6	*
	口腔・咽頭	000-C14	17.8	0.0	0.0	0.0	0.0	2.4	2.1	3.6	7.1	2.5	4.5	14.3	15.4	39.1	34.2	51.0	49.6	63.3	36.7	*
	食道	C15	24.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	7.4	19.1	20.0	50.4	57.0	99.2	67.4	69.4	56.0	*
	胃	C16	144.2	0.0	0.0	2.0	0.0	2.4	2.1	7.2	12.8	14.7	20.8	46.1	137.1	197.9	320.2	469.8	521.3	629.0	581.7	*
	大腸（結腸・直腸）	C18-C20	129.8	0.0	0.0	0.0	0.0	0.0	4.2	5.4	9.9	16.0	31.2	84.3	117.1	211.8	257.5	396.8	494.7	512.6	527.6	*
	結腸	C18	84.4	0.0	0.0	0.0	0.0	0.0	2.1	3.6	7.1	11.1	22.3	46.1	55.5	133.6	161.8	254.9	335.1	373.8	401.9	*
	直腸	C19-C20	45.4	0.0	0.0	0.0	0.0	0.0	2.1	1.8	2.8	4.9	8.9	38.2	61.6	78.2	95.7	141.9	159.6	138.9	125.6	*
	肝および胆内胆管	C22	37.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	2.8	1.2	10.4	12.7	26.2	37.8	72.9	100.6	196.8	165.4	166.2	*
	胆のう・胆管	C23-C24	18.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	5.9	11.1	7.7	24.0	30.8	40.0	76.2	128.7	160.4	*
	膵臓	C25	37.8	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.5	7.4	20.7	27.7	60.5	87.7	118.5	140.1	153.2	187.4	*
	喉頭	C32	5.1	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.6	4.6	7.6	11.4	24.8	12.4	14.3	25.1	*
	肺	C33-C34	108.8	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	7.4	16.4	42.9	83.2	151.3	268.9	311.4	441.5	469.7	450.3	*
	皮膚	C43-C44	11.6	0.0	0.0	0.0	0.0	2.4	4.2	3.6	0.0	3.7	5.9	4.8	9.2	8.8	18.2	22.0	53.2	69.4	117.9	*
	乳房	C50	70.5	0.0	0.0	0.0	0.0	0.0	2.1	18.0	25.6	68.8	108.5	141.5	103.2	131.1	131.0	132.3	125.9	108.2	98.6	*
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	1.5	6.4	15.4	24.0	26.2	46.8	79.8	79.7	146.9	*
	腎・尿路（膀胱除く）	C64-C66 C68	26.4	0.0	0.0	0.0	0.0	2.4	2.1	1.8	4.3	9.8	8.9	14.3	27.7	39.1	45.6	73.0	94.0	118.5	79.2	*
	脳・中枢神経系	C70-C72	13.8	7.6	11.4	10.1	2.1	0.0	0.0	5.4	2.8	9.8	8.9	20.7	17.0	17.6	22.8	28.9	33.7	34.7	40.6	*
	甲状腺	C73	18.3	0.0	0.0	0.0	0.0	7.1	12.5	12.6	21.3	13.5	20.8	25.4	27.7	27.7	30.8	26.2	40.8	30.6	38.6	*
	悪性リンパ腫	C81-C85 C96	24.7	0.0	0.0	4.0	0.0	0.0	8.4	3.6	2.8	2.5	5.9	15.9	26.2	34.0	61.5	63.4	83.3	96.0	110.1	*
	多発性骨髄腫	C88-C90	6.7	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	4.5	6.4	4.6	5.0	13.7	28.9	24.8	20.4	25.1	*
	白血病	C91-C95	10.8	2.5	4.6	2.0	0.0	0.0	4.2	3.6	1.4	4.9	10.4	6.4	23.1	16.4	16.0	22.0	39.0	22.5	32.9	*

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

B. 上皮内がんを含む

富山県

2014年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-096 D00-D09	1,133.8	4.9	31.1	19.7	8.3	23.0	56.9	69.0	112.9	141.2	265.9	561.4	1,041.7	1,717.4	2,530.4	3,681.5	4,725.3	5,295.8	5,403.4	*	
	食道	C15 D001	45.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.8	35.1	37.8	82.8	117.8	208.8	125.4	135.0	175.0	*	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	187.3	0.0	0.0	0.0	0.0	0.0	4.1	4.1	6.9	26.3	41.4	140.3	179.4	323.3	391.1	602.6	807.1	788.2	578.7	*	
	結腸 *2	C18 D010	118.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	16.8	29.5	67.0	81.8	201.7	254.5	372.9	501.8	588.4	410.5	*	
	直腸 *2	C19-C20 D011-D012	69.0	0.0	0.0	0.0	0.0	0.0	4.1	4.1	0.0	9.6	11.8	73.4	97.6	121.6	136.7	229.7	305.3	199.7	188.2	*	
	肺	C33-C34 D021-D022	164.6	0.0	0.0	0.0	0.0	0.0	4.1	4.1	0.0	14.4	23.6	60.6	135.3	235.4	391.1	489.3	773.6	885.3	928.6	*	
	皮膚	C43-C44 D030-D049	15.7	0.0	0.0	0.0	0.0	4.6	4.1	4.1	0.0	4.8	3.0	3.0	6.4	15.7	28.5	28.3	32.8	71.1	97.2	201.9	*
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	16.2	0.0	*
	膀胱	C67 D090	36.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.4	5.9	15.9	37.8	56.9	68.3	119.3	171.4	194.3	410.5	*	
	女	全部位	000-096 D00-D09	714.3	26.1	9.4	16.6	4.4	58.4	150.4	254.6	293.6	424.1	568.6	722.5	760.9	1,050.0	1,270.9	1,579.3	1,982.6	2,069.7	2,515.8	*
	食道	C15 D001	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.0	19.7	19.7	4.4	7.7	27.7	28.6	10.8	*
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	108.1	0.0	0.0	0.0	0.0	4.9	4.3	4.3	3.7	17.6	20.2	32.9	53.9	108.7	154.9	203.0	289.2	384.8	410.7	594.1	*
	結腸 *2	C18 D010	74.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	8.8	15.1	23.9	34.9	48.3	105.7	132.4	204.8	289.4	289.1	420.2	*
	直腸 *2	C19-C20 D011-D012	34.1	0.0	0.0	0.0	0.0	4.9	0.0	0.0	3.7	8.8	5.0	9.0	19.0	60.4	49.2	70.6	94.5	95.4	121.6	113.9	*
	肺	C33-C34 D021-D022	58.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	15.0	25.4	36.2	76.2	154.4	161.3	203.2	216.8	257.5	*
	皮膚	C43-C44 D030-D049	15.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.2	0.0	7.6	9.0	3.2	3.0	4.9	22.1	38.4	73.9	65.7	108.4	*
	乳房	C50 D05	150.1	0.0	0.0	0.0	0.0	0.0	0.0	4.3	41.2	61.6	181.8	251.4	316.9	214.4	282.8	264.8	279.0	234.0	170.8	143.7	*
子宮	C53-C55 D06	62.6	0.0	0.0	0.0	0.0	0.0	38.9	85.9	134.8	126.2	106.0	119.7	69.7	63.4	78.7	57.4	43.5	64.7	62.4	46.1	*	
子宮頸部	C53 D06	41.7	0.0	0.0	0.0	0.0	0.0	38.9	85.9	134.8	123.3	93.4	83.8	25.4	21.1	22.1	28.7	20.5	24.6	23.0	32.5	*	
膀胱	C67 D090	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.5	0.0	0.0	9.1	12.3	6.6	25.6	33.9	42.7	78.6	*	
総数 *3 全部位	000-096 D00-D09	916.2	15.3	20.6	18.1	6.4	40.2	102.4	158.0	200.3	278.9	416.3	642.2	898.4	1,375.3	1,880.0	2,550.1	3,145.6	3,290.2	3,345.1	*		
食道	C15 D001	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	7.4	19.1	20.0	50.4	59.2	100.6	69.2	69.4	58.0	*	
大腸 (結腸・直腸) *2	C18-C20 D010-D012	146.2	0.0	0.0	0.0	0.0	2.4	4.2	4.2	5.4	12.8	23.3	37.2	97.0	143.3	237.0	294.0	434.0	563.9	553.5	546.9	*	
結腸 *2	C18 D010	95.3	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	8.5	16.0	26.8	50.9	64.7	152.5	191.4	282.4	379.5	402.3	417.4	*	
直腸 *2	C19-C20 D011-D012	50.9	0.0	0.0	0.0	0.0	2.4	2.1	2.1	1.8	4.3	7.4	10.4	46.1	78.6	84.5	102.5	151.5	184.4	151.1	129.5	*	
肺	C33-C34 D021-D022	109.6	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	7.4	19.3	42.9	84.8	153.8	268.9	312.7	445.1	469.7	450.3	*	
皮膚	C43-C44 D030-D049	15.3	0.0	0.0	0.0	0.0	2.4	4.2	4.2	5.4	0.0	6.1	5.9	4.8	9.2	16.4	25.1	35.8	72.7	77.6	135.3	*	
乳房	C50 D05	78.3	0.0	0.0	0.0	0.0	0.0	0.0	2.1	19.7	29.8	88.5	124.9	159.0	109.4	145.0	139.0	150.2	134.8	112.3	102.4	*	
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.8	2.5	3.0	7.9	23.1	34.0	36.5	68.9	92.2	100.1	173.9	*	

*1 総数は年齢不詳を含む

*2 粘膜炎を含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

富山県 2014年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,817	1.3	2.1	0.0	3.8	92.7
口腔・咽頭	C00-C14	165	0.0	1.2	0.0	1.8	97.0
食道	C15	231	2.2	5.2	0.0	5.2	87.4
胃	C16	1,591	1.9	2.8	0.0	3.0	92.2
大腸 (結腸・直腸)	C18-C20	1,413	0.9	1.6	0.0	3.3	94.1
結腸	C18	979	0.9	2.0	0.0	3.6	93.5
直腸	C19-C20	434	0.9	0.7	0.0	2.8	95.6
肝および肝内胆管	C22	326	0.3	5.2	0.0	2.8	91.7
胆のう・胆管	C23-C24	242	0.8	0.8	0.0	4.1	94.2
膵臓	C25	361	1.4	1.4	0.0	6.1	91.1
喉頭	C32	61	0.0	0.0	0.0	4.9	95.1
肺	C33-C34	1,056	1.6	2.6	0.0	3.1	92.7
皮膚	C43-C44	180	0.0	1.1	0.0	0.0	98.9
乳房 (女性のみ)	C50	720	1.3	1.0	0.0	3.1	94.7
子宮	C53-C55	174	1.3	1.0	0.0	3.1	94.7
子宮頸部	C53	69	0.0	1.1	0.0	4.0	94.8
子宮体部	C54	105	0.0	1.4	0.0	4.3	94.2
卵巣	C56	80	1.3	0.0	0.0	3.8	95.2
前立腺	C61	623	1.9	2.9	0.0	3.8	95.0
膀胱	C67	220	0.5	2.7	0.0	4.2	91.0
腎・尿路 (膀胱除く)	C64-C66 C68	269	0.7	1.9	0.0	4.1	92.7
脳・中枢神経系	C70-C72	147	0.0	0.0	0.0	3.0	94.4
甲状腺	C73	195	2.1	2.1	0.0	3.4	96.6
悪性リンパ腫	C81-C85 C96	260	1.9	0.4	0.0	2.1	93.8
多発性骨髄腫	C88-C90	63	0.0	3.2	0.0	13.8	83.8
白血病	C91-C95	99	6.1	2.0	0.0	9.5	87.3
						10.1	81.8

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

富山県 2014年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,692	2.4	2.0	0.0	4.1	91.5
食道	C15 D001	236	2.5	5.1	0.0	5.1	87.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,599	5.3	1.6	0.0	3.9	89.2
結腸 *2	C18 D010	1,104	4.9	1.9	0.0	3.8	89.4
直腸 *2	C19-C20 D011-D012	495	6.3	1.0	0.0	4.0	88.7
肺	C33-C34 D021-D022	1,064	1.8	2.5	0.0	3.1	92.6
皮膚	C43-C44 D030-D049	229	0.0	0.9	0.0	2.2	96.9
乳房	C50 D05	806	2.7	0.9	0.0	3.6	92.8
乳房 (女性のみ)	C50 D05	801	2.7	0.9	0.0	3.6	92.8
子宮	C53-C55 D06	332	8.7	0.9	0.0	3.6	86.7
子宮頸部	C53 D06	227	12.8	0.9	0.0	3.5	82.8
膀胱	C67 D090	294	0.7	2.0	0.0	10.5	86.7

*1 D00を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

富山県

2014年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,653	44.7	9.4	11.3	18.5	16.0	20.7
口腔・咽頭	C00-C14	165	36.4	11.5	23.6	3.6	24.8	35.2
食道	C15	231	31.6	6.1	20.8	14.3	27.3	26.8
胃	C16	1,591	55.7	10.2	6.2	16.6	11.4	16.3
大腸 (結腸・直腸)	C18-C20	1,413	44.2	16.8	7.6	18.5	13.0	24.4
結腸	C18	979	45.4	16.3	7.7	18.1	12.6	24.0
直腸	C19-C20	434	41.5	18.0	7.4	19.4	13.8	25.3
肝および肝内胆管	C22	326	53.4	1.8	9.8	12.0	23.0	11.7
胆のう・胆管	C23-C24	242	15.7	3.7	37.6	24.8	18.2	41.3
膵臓	C25	361	5.5	2.8	31.6	44.9	15.2	34.3
喉頭	C32	61	63.9	4.9	9.8	6.6	14.8	14.8
肺	C33-C34	1,056	32.6	9.3	8.9	36.5	12.8	18.2
皮膚	C43-C44	180	85.6	2.2	2.2	0.0	10.0	4.4
乳房 (女性のみ)	C50	720	51.4	17.6	3.5	7.2	20.3	21.1
乳房	C50	716	51.4	17.7	3.4	7.3	20.3	21.1
子宮	C53-C55	174	51.1	4.6	20.7	10.3	13.2	25.3
子宮頸部	C53	69	37.7	5.8	24.6	13.0	18.8	30.4
子宮体部	C54	105	60.0	3.8	18.1	8.6	9.5	21.9
卵巣	C56	80	20.0	0.0	50.0	10.0	20.0	50.0
前立腺	C61	623	54.7	1.6	12.7	13.6	17.3	14.3
膀胱	C67	220	64.1	3.2	6.4	5.5	20.9	9.5
腎・尿路 (膀胱除く)	C64-C66 C68	269	57.6	1.9	11.2	19.0	10.4	13.0
脳・中枢神経系	C70-C72	147	68.7	0.0	10.9	2.0	18.4	10.9
甲状腺	C73	195	40.0	41.5	6.2	3.1	9.2	47.7
悪性リンパ腫	C81-C85 C96	258	17.8	0.8	10.9	40.3	30.2	11.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00, 777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

富山県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,528	8.9	40.6	8.6	10.2	16.9	14.8	18.8
食道	C15 D001	236	2.1	30.9	5.9	20.3	14.0	26.7	26.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,599	11.4	39.0	14.9	6.7	16.3	11.7	21.6
結腸 *3	C18 D010	1,104	11.1	40.2	14.5	6.8	16.0	11.4	21.3
直腸 *3	C19-C20 D011-D012	495	12.1	36.4	15.8	6.5	17.0	12.3	22.2
肺	C33-C34 D021-D022	1,064	0.8	32.3	9.2	8.8	36.2	12.7	18.0
皮膚	C43-C44 D030-D049	229	20.1	67.2	1.7	1.7	0.0	9.2	3.5
乳房	C50 D05	806	9.2	45.9	15.8	3.1	6.5	19.6	18.9
乳房 (女性のみ)	C50 D05	801	9.2	45.9	15.9	3.0	6.5	19.5	18.9
子宮	C53-C55 D06	332	47.3	26.8	2.4	10.8	5.4	7.2	13.3
子宮頸部	C53 D06	227	69.2	11.5	1.8	7.5	4.0	6.2	9.3
膀胱	C67 D090	294	24.8	48.0	2.4	4.8	4.1	16.0	7.1

*1 D00、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

富山県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,654	2.0	45.6	9.7	11.4	18.5	12.6	21.2
口腔・咽頭	C00-C14	165	6.1	37.6	11.5	24.2	3.6	17.0	35.8
食道	C15	231	8.2	32.9	6.1	22.1	14.7	16.0	28.1
胃	C16	1,591	2.8	57.6	10.4	6.3	16.8	6.1	16.7
大腸 (結腸・直腸)	C18-C20	1,413	2.8	44.9	17.5	7.5	18.1	9.1	25.0
結腸	C18	979	3.3	46.4	17.1	7.3	17.7	8.4	24.3
直腸	C19-C20	434	1.8	41.7	18.4	8.1	19.1	10.8	26.5
肝および肝内胆管	C22	326	0.0	52.1	1.5	9.8	11.7	24.8	11.3
胆のう・胆管	C23-C24	242	2.1	16.5	3.3	37.2	24.8	16.1	40.5
膵臓	C25	361	0.3	5.0	2.8	32.1	45.2	14.7	34.9
喉頭	C32	61	0.0	65.6	4.9	9.8	6.6	13.1	14.8
肺	C33-C34	1,056	0.0	33.4	9.8	9.3	37.3	10.2	19.0
皮膚	C43-C44	180	2.8	85.0	2.8	2.2	0.0	7.2	5.0
乳房 (女性のみ)	C50	720	1.9	55.3	19.0	3.3	6.7	13.8	22.4
子宮	C53-C55	716	2.0	55.3	19.1	3.2	6.7	13.7	22.3
子宮頸部	C53	174	2.9	50.0	4.0	21.8	10.3	10.9	25.9
子宮体部	C54	69	5.8	36.2	4.3	26.1	13.0	14.5	30.4
卵巣	C56	105	1.0	59.0	3.8	19.0	8.6	8.6	22.9
前立腺	C61	80	0.0	20.0	0.0	47.5	8.8	23.8	47.5
膀胱	C67	623	0.2	55.7	1.4	13.0	13.2	16.5	14.4
腎・尿路 (膀胱除く)	C64-C66 C68	220	9.5	60.0	2.7	6.8	5.5	15.5	9.5
脳・中枢神経系	C70-C72	269	1.1	57.6	1.9	11.2	18.6	9.7	13.0
甲状腺	C73	147	0.0	71.4	0.0	10.2	2.0	16.3	10.2
悪性リンパ腫	C81-C85 C96	195	0.0	42.6	42.1	5.6	3.1	6.7	47.7
多発性骨髄腫	C88-C90	258	0.0	18.2	0.4	12.0	40.7	28.7	12.4
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DCO、777: 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

富山県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,529	10.7	41.5	8.8	10.4	16.8	11.7	19.2
食道	C15 D001	236	10.2	32.2	5.9	21.6	14.4	15.7	27.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,599	13.9	39.8	15.4	6.6	16.0	8.2	22.1
結腸 *3	C18 D010	1,104	14.0	41.2	15.1	6.4	15.7	7.5	21.6
直腸 *3	C19-C20 D011-D012	495	13.7	36.6	16.2	7.1	16.8	9.7	23.2
肺	C33-C34 D021-D022	1,064	0.8	33.2	9.7	9.2	37.0	10.2	18.9
皮膚	C43-C44 D030-D049	229	23.6	66.8	2.2	1.7	0.0	5.7	3.9
乳房	C50 D05	806	11.4	49.5	17.0	3.0	6.0	13.2	20.0
乳房 (女性のみ)	C50 D05	801	11.5	49.4	17.1	2.9	6.0	13.1	20.0
子宮	C53-C55 D06	332	47.9	26.2	2.1	11.4	5.4	6.9	13.6
子宮頸部	C53 D06	227	69.6	11.0	1.3	7.9	4.0	6.2	9.3
膀胱	C67 D090	294	32.0	44.9	2.0	5.1	4.1	11.9	7.1

*1 D00、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

富山県

2014年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,638	2.1	0.6	0.7	1.0	95.6	1.3
口腔・咽頭	C00-C14	165	2.4	0.0	0.6	0.0	97.0	0.6
食道	C15	231	2.6	0.9	0.9	0.4	95.2	1.7
胃	C16	1,590	3.8	0.5	0.4	1.2	94.0	0.9
大腸 (結腸・直腸)	C18-C20	1,412	1.9	1.1	0.8	1.1	95.1	1.8
結腸	C18	979	2.3	0.9	0.8	0.9	95.0	1.7
直腸	C19-C20	433	0.9	1.4	0.7	1.6	95.4	2.1
肝および肝内胆管	C22	325	2.8	0.3	0.3	0.0	96.6	0.6
胆のう・胆管	C23-C24	241	0.4	0.4	2.5	0.0	96.7	2.9
膵臓	C25	360	0.0	0.0	3.6	3.3	93.1	3.6
喉頭	C32	61	1.6	0.0	0.0	0.0	98.4	0.0
肺	C33-C34	1,051	1.2	0.6	0.9	1.1	96.2	1.4
皮膚	C43-C44	180	1.1	0.0	0.0	0.0	98.9	0.0
乳房 (女性のみ)	C50	720	1.4	0.7	0.0	1.5	96.4	0.7
子宮	C53-C55	174	0.6	0.7	0.0	1.5	96.4	0.7
子宮頸部	C53	69	0.0	0.6	1.1	0.6	97.1	1.7
子宮体部	C54	105	1.0	1.4	2.9	0.0	95.7	4.3
卵巣	C56	80	0.0	0.0	0.0	1.0	98.1	0.0
前立腺	C61	622	3.1	0.0	2.5	0.0	97.5	2.5
膀胱	C67	220	5.0	0.3	0.6	0.2	95.8	1.0
腎・尿路 (膀胱除く)	C64-C66 C68	269	1.9	0.5	0.5	1.8	92.3	0.9
脳・中枢神経系	C70-C72	147	2.0	0.0	0.7	1.1	96.3	0.7
甲状腺	C73	195	1.5	0.0	0.0	0.0	98.0	0.0
悪性リンパ腫	C81-C85 C96	255	0.8	2.6	0.5	1.0	94.4	3.1
多発性骨髄腫	C88-C90	-	-	0.4	0.0	0.8	98.0	0.4
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00, 660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

富山県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,512	0.2	2.0	0.5	0.7	0.9	95.8	1.2
食道	C15 D001	236	0.4	2.5	0.8	0.8	0.4	94.9	1.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,598	0.3	1.7	0.9	0.7	1.0	95.4	1.6
結腸 *3	C18 D010	1,104	0.2	2.1	0.8	0.7	0.8	95.4	1.5
直腸 *3	C19-C20 D011-D012	494	0.6	0.8	1.2	0.6	1.4	95.3	1.8
肺	C33-C34 D021-D022	1,059	0.0	1.2	0.6	0.8	1.1	96.2	1.4
皮膚	C43-C44 D030-D049	229	0.0	0.9	0.0	0.0	0.0	99.1	0.0
乳房	C50 D05	806	0.0	1.2	0.6	0.0	1.4	96.8	0.6
乳房 (女性のみ)	C50 D05	801	0.0	1.2	0.6	0.0	1.4	96.8	0.6
子宮	C53-C55 D06	331	0.6	0.3	0.3	0.6	0.3	97.9	0.9
子宮頸部	C53 D06	226	0.9	0.0	0.4	0.9	0.0	97.8	1.3
膀胱	C67 D090	294	3.4	3.7	0.3	0.3	1.4	90.8	0.7

*1 DC0, 660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

富山県

2014年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	8,817	2.4	0.6	0.7	1.0	3.3	0.1	0.4	93.3
口腔・咽頭	C00-C14	165	0.6	0.0	0.0	2.4	1.8	0.0	0.0	97.0
食道	C15	231	3.0	0.0	2.6	3.5	5.2	0.0	0.0	91.3
胃	C16	1,591	3.0	0.8	1.8	0.1	1.9	0.0	0.1	93.6
大腸 (結腸・直腸)	C18-C20	1,413	3.3	1.4	0.5	0.4	1.4	0.0	0.2	94.2
結腸	C18	979	3.8	1.4	0.6	0.1	1.1	0.0	0.3	93.9
直腸	C19-C20	434	2.3	1.4	0.2	0.9	2.1	0.0	0.0	94.9
肝および肝内胆管	C22	326	1.5	0.0	0.0	0.9	2.5	0.3	2.5	94.2
胆のう・胆管	C23-C24	242	2.5	0.4	0.4	1.2	2.1	0.0	1.2	94.6
膵臓	C25	361	3.6	0.0	0.8	0.0	5.3	0.3	1.1	92.8
喉頭	C32	61	0.0	0.0	0.0	1.6	0.0	0.0	0.0	98.4
肺	C33-C34	1,056	0.9	1.1	0.0	1.8	2.4	0.0	0.3	95.5
皮膚	C43-C44	180	1.1	0.0	0.0	0.0	0.0	0.0	0.0	98.9
乳房	C50	720	3.6	0.0	0.0	1.8	1.8	0.3	0.3	95.0
乳房 (女性のみ)	C50	716	3.6	0.0	0.0	1.8	1.8	0.3	0.3	95.0
子宮	C53-C55	174	1.7	0.0	0.0	1.7	1.7	0.0	0.0	97.1
子宮頸部	C53	69	2.9	0.0	0.0	2.9	2.9	0.0	0.0	95.7
子宮体部	C54	105	1.0	0.0	0.0	1.0	1.0	0.0	0.0	98.1
卵巣	C56	80	0.0	2.5	0.0	0.0	2.5	0.0	0.0	97.5
前立腺	C61	623	1.8	0.2	1.1	1.6	0.6	0.2	0.0	95.0
膀胱	C67	220	3.6	0.0	5.0	1.4	2.3	0.0	1.4	90.9
腎・尿路 (膀胱除く)	C64-C66 C68	269	1.9	1.5	0.0	0.4	1.1	0.0	0.0	95.2
脳・中枢神経系	C70-C72	147	1.4	0.0	0.0	1.4	1.4	0.0	0.0	97.3
甲状腺	C73	195	4.1	0.0	0.0	0.5	0.5	0.0	0.5	94.9
悪性リンパ腫	C81-C85 C96	260	2.7	0.0	0.0	4.2	34.6	0.0	0.8	63.8
多発性骨髄腫	C88-C90	63	0.0	0.0	0.0	1.6	9.5	0.0	0.0	90.5
白血病	C91-C95	99	0.0	0.0	0.0	0.0	35.4	0.0	1.0	63.6

*1 D00を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

富山県

2014年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	9,692	6.2	0.6	0.8	1.1	3.3	0.1	0.3	89.7
食道	C15 D001	236	3.8	0.0	3.0	3.4	5.1	0.0	0.0	90.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,599	14.1	1.4	0.8	0.3	1.3	0.0	0.2	83.4
結腸 *2	C18 D010	1,104	14.2	1.4	0.8	0.1	1.0	0.0	0.3	83.4
直腸 *2	C19-C20 D011-D012	495	13.9	1.4	0.6	0.8	1.8	0.0	0.0	83.2
肺	C33-C34 D021-D022	1,064	1.7	1.1	0.0	1.8	2.3	0.0	0.3	94.8
皮膚	C43-C44 D030-D049	229	9.2	0.0	0.0	0.0	0.0	0.0	0.0	90.8
乳房	C50 D05	806	8.1	0.0	0.0	3.5	1.9	0.2	0.2	90.4
乳房 (女性のみ)	C50 D05	801	8.1	0.0	0.0	3.5	1.9	0.2	0.2	90.4
子宮	C53-C55 D06	332	22.6	0.0	0.0	0.9	0.9	0.0	0.0	76.8
子宮頸部	C53 D06	227	32.6	0.0	0.0	0.9	0.9	0.0	0.0	67.0
膀胱	C67 D090	294	23.5	0.0	6.1	1.0	9.9	0.0	1.0	69.4

*1 D00を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

富山県

2014年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1			
								日本人口		世界人口									
全部位	D00-D95	6,693	4,932	11,625	100.0	100.0	100.0	1,300.7	899.8	1,087.7	626.4	449.5	520.4	440.9	339.3	379.4	51.8	36.3	43.4
全部位	D00-D95	6,223	4,426	10,649	93.0	89.7	91.6	1,209.4	798.6	996.3	577.2	376.5	460.7	405.4	281.0	333.6	47.5	30.9	33.6
口唇	D00	2	0	2	0.0	0.0	0.0	0.4	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
舌根<舌底>部	D01	4	4	8	0.1	0.1	0.1	0.8	0.7	0.7	0.5	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
その他および部位不明の舌	D02	28	12	40	0.4	0.2	0.3	5.4	2.2	3.7	3.9	1.6	2.7	3.0	1.3	2.1	0.3	0.1	0.2
歯肉	D03	10	14	24	0.1	0.3	0.2	1.9	2.5	2.2	1.0	0.7	0.9	0.6	0.5	0.6	0.1	0.0	0.1
口腔底	D04	5	3	8	0.1	0.1	0.1	1.0	0.5	0.7	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
口蓋	D05	6	2	8	0.1	0.0	0.1	1.2	0.4	0.7	0.8	0.1	0.4	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明の口腔	D06	8	1	9	0.1	0.0	0.1	1.6	0.2	0.8	0.6	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.0
耳下腺	D07	10	4	14	0.1	0.1	0.1	1.9	0.7	1.3	1.1	0.3	0.6	0.8	0.2	0.5	0.1	0.0	0.0
その他および部位不明の大唾液腺	D08	1	2	3	0.0	0.0	0.0	0.2	0.4	0.3	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
扁桃	D09	7	4	11	0.1	0.1	0.1	1.4	0.7	1.0	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
中咽頭	D10	11	8	19	0.2	0.2	0.2	2.1	1.4	1.8	1.0	0.5	0.8	0.7	0.4	0.6	0.1	0.0	0.1
鼻<上>咽頭	D11	8	4	12	0.1	0.1	0.1	1.6	0.7	1.1	0.9	0.2	0.6	0.7	0.2	0.4	0.1	0.0	0.0
梨状陥凹<洞>	D12	19	2	21	0.3	0.0	0.2	3.7	0.4	2.0	1.8	0.2	1.0	1.4	0.2	0.7	0.2	0.0	0.1
下咽頭	D13	16	3	19	0.2	0.1	0.2	3.1	0.5	1.8	1.5	0.4	0.9	1.0	0.3	0.6	0.1	0.0	0.1
その他および部位不明の口腔、口腔および咽頭	D14	10	1	11	0.1	0.0	0.1	1.9	0.2	1.0	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0
食道	D15	257	38	295	3.8	0.8	2.5	49.9	6.9	27.6	24.6	3.0	12.9	17.7	2.2	9.4	2.4	0.2	1.3
胃	D16	1,244	598	1,842	18.6	12.1	15.8	241.8	107.9	172.3	110.8	39.0	71.5	76.0	28.2	49.8	9.3	3.3	6.2
小腸	D17	29	31	60	0.4	0.6	0.5	6.6	6.6	6.6	2.7	2.3	2.4	1.9	1.7	1.8	0.2	0.2	0.2
結腸	D18	596	514	1,110	8.9	10.4	9.5	115.8	92.7	103.9	54.9	32.6	42.8	37.9	22.9	29.9	4.5	2.6	3.5
直腸S状結腸移行部	D19	88	54	142	1.3	1.1	1.2	17.1	9.7	13.3	8.9	4.6	6.6	6.2	3.4	4.7	0.7	0.4	0.6
直腸	D20	255	153	408	3.8	3.1	3.5	49.6	27.6	38.2	25.4	11.2	17.7	18.1	8.0	12.7	2.3	1.0	1.6
肛門および肛門管	D21	2	5	7	0.0	0.1	0.1	0.4	0.9	0.7	0.2	0.5	0.3	0.1	0.3	0.2	0.0	0.0	0.0
肝および肝内胆管	D22	328	153	481	4.9	3.1	4.1	63.7	27.6	45.0	29.1	8.7	17.9	19.6	5.8	12.1	2.2	0.5	1.3
胆のう	D23	44	87	131	0.7	1.8	1.1	8.6	15.7	12.3	3.7	4.4	4.1	2.4	2.9	2.7	0.2	0.3	0.2
その他および部位不明の胆道	D24	90	61	151	1.3	1.2	1.3	17.5	11.0	14.1	7.3	3.5	5.2	5.1	2.3	3.5	0.5	0.2	0.4
膵臓	D25	272	229	501	4.1	4.6	4.3	52.9	41.3	46.9	25.0	14.0	19.0	17.4	9.8	13.4	2.1	1.2	1.6
その他および部位不明の消化器	D26	3	1	4	0.0	0.0	0.0	0.6	0.2	0.4	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
鼻腔および中耳	D30	4	2	6	0.1	0.0	0.1	0.8	0.4	0.6	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
副鼻腔	D31	9	7	16	0.1	0.1	0.1	1.7	1.3	1.5	0.8	0.4	0.6	0.5	0.2	0.4	0.1	0.0	0.1
喉頭	D32	62	5	67	0.9	0.1	0.6	12.0	0.9	6.3	5.5	0.4	2.7	4.3	0.3	2.1	0.5	0.0	0.3
気管	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D34	980	416	1,396	14.6	8.4	12.0	190.5	75.1	130.6	85.4	27.3	52.9	58.3	19.1	36.7	6.7	2.4	4.4
胸腺	D37	10	3	13	0.1	0.1	0.1	1.9	0.5	1.2	1.5	0.3	0.9	1.1	0.2	0.6	0.1	0.0	0.1
心臓、縦隔および胸膜	D38	5	3	8	0.1	0.1	0.1	1.0	0.5	0.7	0.8	0.4	0.6	0.7	0.3	0.5	0.1	0.0	0.1
その他および部位不明の呼吸器系および胸腔内臓器	D39	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	D40	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.4	0.2	0.0	0.6	0.3	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	D41	2	7	9	0.0	0.1	0.1	0.4	1.3	0.8	0.3	0.7	0.5	0.2	0.5	0.4	0.0	0.1	0.0
皮膚の悪性黒色腫	D43	7	8	15	0.1	0.2	0.1	1.4	1.4	1.4	0.6	0.5	0.5	0.4	0.3	0.4	0.1	0.0	0.0
皮膚のその他	D44	81	89	170	1.2	1.8	1.5	15.7	16.1	15.9	7.0	5.6	6.1	5.0	4.0	4.4	0.4	0.4	0.4
中皮腫	D45	23	3	26	0.3	0.1	0.2	4.5	0.5	2.4	2.0	0.2	1.0	1.4	0.1	0.7	0.2	0.0	0.1
カポジ肉腫	D46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	D47	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
後腹膜および腹膜	D48	9	12	21	0.1	0.2	0.2	1.7	2.2	2.0	1.1	1.8	1.4	0.7	1.5	1.1	0.1	0.2	0.1
その他の結合組織および軟骨組織	D49	15	14	29	0.2	0.3	0.2	2.9	2.5	2.7	1.6	1.6	1.6	1.1	1.2	1.2	0.1	0.1	0.1
乳房	D50	4	800	804	0.1	16.2	6.9	0.8	144.3	75.2	0.3	98.5	50.5	0.2	75.9	38.7	0.0	8.5	4.3
外陰	D51	-	18	18	-	0.4	0.2	-	3.2	-	-	1.3	-	-	0.9	-	-	0.1	-
陰	D52	-	4	4	-	0.1	0.0	-	0.7	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	D53	-	85	85	-	1.7	0.7	-	15.3	-	-	11.6	-	-	8.3	-	-	0.9	-
子宮体部	D54	-	117	117	-	2.4	1.0	-	21.1	-	-	14.3	-	-	11.0	-	-	1.2	-
子宮部位不明	D55	-	4	4	-	0.1	0.0	-	0.7	-	-	0.3	-	-	0.2	-	-	0.0	-
卵巣	D56	-	117	117	-	2.4	1.0	-	21.1	-	-	14.8	-	-	11.7	-	-	1.2	-
その他および部位不明の女性性器	D57	-	7	7	-	0.1	0.1	-	1.3	-	-	0.7	-	-	0.6	-	-	0.1	-
胎盤	D58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	D60	6	-	6	0.1	-	0.1	1.2	-	-	0.4	-	-	0.3	-	-	-	0.0	-
前立腺	D61	688	-	688	10.3	-	5.9	133.7	-	-	58.5	-	-	40.2	-	-	5.2	-	-
精巣	D62	28	-	28	0.4	-	0.2	5.4	-	-	6.0	-	-	5.1	-	-	0.4	-	-
その他および部位不明の男性性器	D63	6	-	6	0.1	-	0.1	1.2	-	-	0.7	-	-	0.6	-	-	0.1	-	-
腎盂を除く腎	D64	152	65	217	2.3	1.3	1.9	29.5	11.7	20.3	16.8	4.8	10.5	12.2	3.5	7.6	1.4	0.4	0.9
腎盂	D65	33	14	47	0.5	0.3	0.4	6.4	2.5	4.4	2.8	0.7	1.6	1.8	0.4	1.1	0.2	0.0	0.1
尿管	D66	41	17	58	0.6	0.3	0.5	8.0	3.1	5.4	3.1	1.0	1.9	2.0	0.7	1.3	0.2	0.1	0.2
膀胱	D67	190	63	253	2.8	1.3	2.2	36.9	11.4	23.7	15.6	3.1	8.5	10.6	2.0	5.8	1.1	0.2	0.6
その他および部位不明の泌尿器	D68	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
眼および付属器	D69	2	1	3	0.0	0.0	0.0	0.4	0.2	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
聴覚	D70	22	39	61	0.3	0.8	0.6	4.3	7.0	5.7	3.0	4							

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

富山県

2014年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	414	461	875	6.2	9.3	7.5	80.5	83.2	81.9	43.4	68.8	54.8	31.2	55.1	42.2	3.9	5.2	4.5
口腔、食道および胃	D00	8	2	10	0.1	0.0	0.1	1.6	0.4	0.9	0.7	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
食道	D001	4	1	5	0.1	0.0	0.0	0.8	0.2	0.5	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の消化器	D01	269	155	414	3.9	3.1	3.6	50.3	28.0	38.7	28.8	13.8	20.9	20.9	10.0	15.2	2.6	1.2	1.9
結腸	D010	74	51	125	1.1	1.0	1.1	14.4	9.2	11.7	7.8	3.9	5.7	5.6	2.7	4.1	0.7	0.3	0.5
直腸S状結腸移行部	D011	8	2	10	0.1	0.0	0.1	1.6	0.4	0.9	1.0	0.2	0.6	0.7	0.2	0.5	0.1	0.0	0.0
直腸	D012	29	22	51	0.4	0.4	0.4	5.6	4.0	4.8	3.5	2.3	2.9	2.5	1.7	2.1	0.3	0.2	0.2
中耳および呼吸器系	D02	14	9	23	0.2	0.2	0.2	2.7	1.6	2.2	1.7	1.2	1.4	1.2	0.9	1.0	0.2	0.1	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	5	3	8	0.1	0.1	0.1	1.0	0.5	0.7	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
上皮内黒色腫	D03	3	4	7	0.0	0.1	0.1	0.6	0.7	0.7	0.3	0.6	0.4	0.2	0.5	0.3	0.0	0.1	0.0
皮膚のその他	D04	20	22	42	0.3	0.4	0.4	3.9	4.0	3.9	1.9	1.1	1.5	1.4	0.7	1.0	0.2	0.1	0.1
乳房	D05	1	86	86	0.0	1.7	0.7	0.2	15.3	8.0	0.1	12.6	6.3	0.1	9.7	4.9	0.0	1.0	0.5
子宮頸部	D06	-	158	158	-	3.2	1.4	-	28.5	-	-	37.2	-	-	31.6	-	-	2.5	-
その他および部位不明の性器	D07	2	2	4	0.0	0.0	0.0	0.4	0.4	0.4	0.2	0.3	0.3	0.1	0.2	0.2	0.0	0.0	0.0
その他および部位不明	D09	107	24	131	1.6	0.5	1.1	20.8	4.3	12.3	9.8	2.1	5.5	6.9	1.5	3.9	0.8	0.2	0.5
膀胱	D080	61	13	74	0.9	0.3	0.6	11.9	2.3	6.9	5.6	1.1	3.1	4.0	0.8	2.2	0.5	0.1	0.3
良性腫瘍	D32-D35	5	6	11	0.1	0.1	0.1	1.0	1.1	1.0	0.9	0.8	0.9	0.9	0.7	0.8	0.1	0.0	0.1
膵臓	D32	1	2	3	0.0	0.0	0.0	0.2	0.4	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	1	2	3	0.0	0.0	0.0	0.2	0.4	0.3	0.3	0.1	0.2	0.4	0.1	0.2	0.0	0.0	0.0
下垂体	D352	3	2	5	0.0	0.0	0.0	0.6	0.4	0.5	0.4	0.6	0.5	0.3	0.5	0.4	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	51	39	80	0.8	0.8	0.8	9.9	7.0	8.4	4.9	3.1	4.0	3.3	2.5	2.8	0.4	0.3	0.3
膵臓	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D443	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D446	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D46	3	2	5	0.0	0.0	0.0	0.6	0.4	0.5	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
骨髄異形成症候群	D46	39	25	63	0.6	0.5	0.5	7.4	4.5	5.9	3.4	1.9	2.5	2.2	1.4	1.7	0.2	0.2	0.2
慢性骨増殖性疾患	D471	6	4	10	0.1	0.1	0.1	1.2	0.7	0.9	0.6	0.2	0.4	0.4	0.1	0.3	0.1	0.0	0.0
本態性(出血性)血小板血症	D473	3	6	9	0.0	0.1	0.1	0.6	1.1	0.8	0.4	0.6	0.6	0.3	0.5	0.4	0.0	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 医療圏別、保健所別罹患数：部位別、性別
A. 上皮膚がんを除く

医療圏/保健所	全部位		胃		大腸(結腸・直腸)		結腸		直腸		肝および胆内管		膵臓		前		乳房		子宮		子宮頸部		前立腺		腎・尿管(膀胱除く)		悪性リンパ腫										
	C00-C96		C16		C18-20		C18		C19-20		C22		C25		C33-C34		C50		C53-C55		C53		C61		C64-C68		C81-C85		C86								
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女							
富山県	6,223	4,426	10,649	1,244	598	1,842	939	721	1,660	596	514	1,110	343	207	229	229	501	980	416	1,396	4	800	804	208	65	117	688	226	97	323	174	147	321				
医療圏不定	4	10	14	0	1	1	0	1	1	0	1	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
富山	694	462	1,156	145	65	210	97	76	173	63	56	119	34	20	54	39	15	54	48	152	0	77	77	19	8	11	88	20	15	35	21	10	31				
富山	2,850	2,053	4,903	563	272	835	450	314	764	281	216	497	169	98	267	154	67	221	136	99	235	446	202	648	3	385	388	103	41	61	274	105	41	146	70	63	133
富山	1,986	1,415	3,381	395	190	585	286	243	529	185	171	356	101	72	173	92	51	143	87	79	166	313	124	437	1	252	253	65	30	34	245	63	29	92	62	55	117
富山	709	486	1,195	141	70	211	106	87	193	67	71	138	39	16	55	43	19	62	17	26	43	117	40	157	0	85	85	19	6	11	81	38	11	49	21	19	40
富山	4	10	14	0	1	1	0	1	1	0	1	0	0	0	1	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
富山	2,372	1,726	4,098	482	228	710	370	259	629	229	172	401	141	87	228	132	60	192	118	81	199	379	179	558	3	323	326	88	38	50	213	87	36	123	57	56	113
富山	1,986	1,415	3,381	395	190	585	286	243	529	185	171	356	101	72	173	92	51	143	87	79	166	313	124	437	1	252	253	65	30	34	245	63	29	92	62	55	117
富山	694	462	1,156	145	65	210	97	76	173	63	56	119	34	20	54	39	15	54	32	25	57	104	48	152	0	77	77	19	8	11	88	20	15	35	21	10	31
富山	478	327	805	81	44	125	80	55	135	52	44	96	28	11	39	22	7	29	18	18	36	67	23	90	0	62	62	15	3	11	61	18	5	23	13	7	20
富山	709	486	1,195	141	70	211	106	87	193	67	71	138	39	16	55	43	19	62	17	26	43	117	40	157	0	85	85	19	6	11	81	38	11	49	21	19	40

※1 総数は男女及び性別不詳の合計

付表2. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

医療圏/保健所	全部位		食道		大腸(結腸・直腸)		結腸		直腸		肺		皮膚		乳房		子宮頸部		膀胱											
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女										
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数										
富山	6,637	4,887	11,524	261	39	300	1,050	796	1,846	670	565	1,235	380	231	611	985	419	1,404	111	123	234	5	885	890	364	243	251	76	327	
医療圏不定	4	10	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
新川	738	496	1,234	37	2	39	107	78	185	70	56	126	37	22	59	106	48	154	10	13	23	0	84	84	23	12	30	11	41	
富山	3,033	2,271	5,304	115	24	139	505	356	861	318	248	566	187	108	295	448	205	653	53	57	110	3	418	421	195	133	100	33	133	
高岡	2,094	1,548	3,642	79	10	89	317	262	579	206	184	390	111	78	189	314	124	438	36	39	75	1	274	275	113	78	81	24	105	
砺波	768	562	1,330	30	3	33	121	99	220	76	77	153	45	22	67	117	40	157	12	14	26	1	108	109	33	20	39	8	47	
保健所不定	4	10	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
富山市	2,525	1,908	4,433	98	19	117	416	295	711	258	200	458	158	95	253	381	182	563	47	47	94	3	351	354	168	118	76	29	105	
高岡	2,094	1,548	3,642	79	10	89	317	262	579	206	184	390	111	78	189	314	124	438	36	39	75	1	274	275	113	78	81	24	105	
新川	738	496	1,234	37	2	39	107	78	185	70	56	126	37	22	59	106	48	154	10	13	23	0	84	84	23	12	30	11	41	
中部	508	363	871	17	5	22	89	61	150	60	48	108	29	13	42	67	23	90	6	10	16	0	67	67	27	15	24	4	28	
砺波	768	562	1,330	30	3	33	121	99	220	76	77	153	45	22	67	117	40	157	12	14	26	1	108	109	33	20	39	8	47	

※1 総数は男女及び性別不詳の合計

付表3. 市町村別罹患者数：部位別、性別

A. 上皮膚がんを除く

2014年 富山県

市区町村	全部位		胃		大腸(結腸・直腸)		結腸		直腸		肝および胆内胆管		膵臓		前		乳房		子宮		子宮頸部		子宮体部		前立腺		腎・尿管(膀胱除く)		睾丸/卵巣								
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女							
市区町村	5,223	4,425	10,549	1,244	598	1,842	939	1,660	596	514	1,110	343	207	550	328	153	481	272	229	225	501	560	416	1,395	4	800	804	206	85	117	688	226	97	323	174	147	321
富山県内市区町村不定	4	10	14	0	1	1	0	1	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
富山市	2,372	1,725	4,098	482	228	710	370	259	629	229	172	401	141	87	228	132	60	192	118	81	199	379	179	558	3	323	326	88	38	50	213	87	36	123	57	56	113
高岡市	1,107	806	1,913	219	101	320	171	152	323	113	106	219	58	46	104	55	30	85	50	48	98	170	64	234	1	130	131	42	20	22	141	38	23	61	26	36	62
金沢市	289	173	462	61	26	87	41	29	70	26	20	46	15	9	24	17	2	19	5	10	15	31	13	44	0	34	34	5	4	1	41	8	2	10	6	4	10
氷見市	310	208	518	67	25	92	38	41	79	26	33	59	12	8	20	11	5	16	13	12	25	47	17	64	0	41	41	10	4	5	46	12	2	14	15	6	21
滑川市	166	116	282	29	14	43	28	27	55	20	21	41	8	6	14	7	3	10	5	4	9	24	7	31	0	24	24	3	0	3	19	15	2	17	6	4	10
砺波市	242	171	413	53	28	81	29	32	61	19	27	46	10	5	15	13	8	21	12	5	17	37	17	54	0	20	20	11	4	7	33	7	8	15	7	4	11
砺波市	247	158	405	44	20	64	33	23	56	23	17	40	10	6	16	17	3	20	6	8	14	47	17	64	0	33	33	12	6	5	25	13	4	17	8	6	14
小矢野町	184	132	316	36	15	51	31	34	65	21	29	50	10	5	15	14	6	20	4	10	14	38	5	43	0	13	13	2	0	2	18	12	1	13	6	8	14
南砺市	278	196	474	61	35	96	42	30	72	23	25	49	19	5	24	12	10	22	7	8	15	32	18	50	0	39	39	5	0	4	38	13	6	19	7	5	12
新水町	549	401	950	109	64	173	77	50	127	46	32	78	31	18	49	26	16	42	24	19	43	95	43	139	0	81	81	13	6	7	58	13	4	17	21	13	34
中新川郡 舟橋村	10	9	19	4	2	6	0	1	1	0	1	1	0	0	0	0	1	1	0	1	2	0	2	0	2	0	1	1	2	0	0	0	0	0	0	0	0
中新川郡 上市町	132	93	225	20	12	32	21	14	35	13	11	24	8	3	11	8	0	8	6	5	11	15	8	23	0	19	19	4	1	3	21	0	2	2	3	1	4
中新川郡 立山町	170	109	279	28	16	44	31	13	44	19	11	30	12	2	14	7	3	10	7	8	15	25	8	34	0	18	18	6	2	3	20	3	1	4	4	2	6
下新川郡 入善町	115	78	193	18	9	27	15	9	24	13	4	17	2	5	7	6	2	8	11	8	19	25	12	38	0	17	17	1	0	1	9	4	3	7	7	0	7
下新川郡 朝日町	68	40	108	13	2	15	12	6	18	5	5	10	7	1	8	3	3	5	4	2	6	10	6	16	0	6	6	2	0	2	5	1	2	3	1	2	3

※1 総数は男女及び性別不詳の合計

付表3. 市町村別罹患者数：部位別、性別

B. 上皮内がんを含む

富山県 2014年

市町村	全部位		食道		大腸(結腸・直腸)		結腸		直腸		肺		皮膚		乳房		子宮頸部		膀胱											
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女										
富山	6,637	4,887	11,524	261	39	300	1,050	796	1,846	670	565	1,235	380	231	611	985	419	1,404	111	123	234	5	885	890	364	243	251	76	327	
富山県内市区町村不定	4	10	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
富山市	2,525	1,908	4,433	88	19	117	416	295	711	258	200	458	158	95	253	381	182	563	47	47	94	3	351	354	168	118	76	29	105	
高岡市	1,184	883	2,067	47	8	55	188	166	354	125	116	241	63	50	113	171	64	235	21	16	37	1	146	147	66	44	49	9	58	
魚津市	281	185	466	15	1	16	43	30	73	27	20	47	16	10	26	31	13	44	2	2	4	0	37	37	7	6	11	4	15	
氷見市	332	227	559	10	0	10	43	44	87	30	34	64	13	10	23	47	17	64	3	9	12	0	42	42	16	10	11	4	15	
滑川市	174	132	306	6	1	7	30	29	59	22	23	45	8	6	14	24	7	31	1	3	4	0	27	27	9	6	7	1	8	
黒部市	260	184	444	10	0	10	35	32	67	23	27	50	12	5	17	37	17	54	7	7	14	0	23	23	13	6	14	4	18	
砺波市	271	198	469	10	2	12	43	29	72	29	21	50	14	8	22	47	17	64	6	6	12	0	45	45	20	14	10	3	13	
小矢部市	202	143	345	6	1	7	32	37	69	22	31	53	10	6	16	38	5	43	1	3	4	0	14	14	4	2	8	2	10	
南砺市	295	221	516	14	0	14	46	33	79	25	25	50	21	8	29	32	18	50	5	5	10	1	49	50	9	4	21	3	24	
射水市	578	438	1,016	22	2	24	86	52	138	51	34	85	35	18	53	96	43	139	12	14	26	0	86	86	31	24	21	11	32	
中新川郡 舟橋村	10	11	21	0	0	0	0	0	1	0	1	1	0	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	1	1
中新川郡 上市町	142	101	243	2	1	3	24	15	39	15	11	26	9	4	13	15	8	23	2	3	5	0	21	21	8	5	12	1	13	
中新川郡 立山町	182	119	301	9	3	12	35	16	51	23	13	36	12	3	15	26	8	34	3	4	7	0	18	18	7	3	5	1	6	
下新川郡 入善町	125	83	208	4	0	4	15	9	24	13	4	17	2	5	7	28	12	40	1	3	4	0	17	17	1	0	4	2	6	
下新川郡 朝日町	72	44	116	8	1	9	14	7	21	7	5	12	7	2	9	10	6	16	0	1	1	0	7	7	2	0	1	1	2	

※1 総数は男女及び性別不詳の合計